


STINGER[®]

A person wearing a blue shirt and a dark cap is using a Stinger CR1000 roofing tool on a roof. The tool is black and green, with a green hose attached. The person is peeling back a white protective layer on a roof membrane, revealing a grid pattern. The background shows green trees and a clear sky.

PRODUCT GUIDE

SPRING 2019



“We continually
strive to create
unique experiences
to ensure that your
story is better...
and for us, it’s a
privilege to be a
part of it.”

National Nail Employee-Owners

STINGER is a brand of
the National Nail family

BRAND EXPERIENCE

WHY STINGER.....	2
BRAND HISTORY	3
ROOFING TODAY	3

REVIEWS FROM THE ROOF

WHAT CONTRACTORS ARE SAYING	4
-----------------------------------	---

JUST CAP IT®

CN100B CAP NAILER.....	6
CS150B CAP STAPLER.....	7
CH38-2 CAP HAMMER.....	8
CH38A CAP HAMMER.....	9
HT38 HAMMER TACKER.....	10

COMMERCIAL

RT3 METAL CAP NAILER	11
----------------------------	----

SYNTHETIC UNDERLAYMENT

EXO UNDERLAYMENT	12
------------------------	----

ROOFING NAILS

HAND DRIVE CAP NAILS.....	14
COLLATED.....	16

MERCHANDISING

SOLUTIONS CENTER	18
MERCHANDISERS	19

NATIONAL NAIL

OUR BRANDS.....	20
-----------------	----

BRAND EXPERIENCE



WHY WAS STINGER® INVENTED?

National Nail created the STINGER brand to provide contractors with the best tools and fasteners to install roofing and sidewall products. According to the roofers we have spoken with over the years, they needed the installation of roofs and sidewalls to be fast, easy, safe and affordable. Throughout our history we have developed innovative products to solve the challenges within the roofing industry.

STINGER® FAMILY

SYNTHETIC UNDERLAYMENT | CAP NAILER | CAP STAPLER | CAP HAMMERS | HAMMER TACKER
COMMERCIAL TOOL | COLLATED CAP FASTENERS | HAND DRIVE FASTENERS | COIL ROOFING NAILS



BRAND HISTORY

National Nail has been involved in fasteners for roofing since the early 1970's with the introduction of the first plastic cap nail made from an old milk jug. Our innovation created many firsts: the first hand held cap nailer, pneumatic cap nailer, cap nailer for commercial use, and pneumatic cap stapler. After helping other companies develop innovative products, we decided to create our own brand.

The STINGER brand launched in 2007 with the introduction of the first non-pneumatic cap staple delivery tools, the CH38 and CH38A Cap Hammers. With these new market-leading tools, we introduced the 3/8" STINGER StaplePac®, to ensure the best fasteners for the best tools. From there we developed our first pneumatic tool - the CS58 pneumatic cap stapler was introduced in 2009 with the 5/8" StaplePac.

The STINGER innovation continued early into the 2010's with the introduction of the CN100 pneumatic cap nailer, and the CS150 pneumatic cap stapler. The CN100 launched with a 1" NailPac® and the CS150 with 7/8", 1-1/4", and 1-1/2" StaplePac to offer the most variety.

During the 2010's, we've also launched strategic marketing programs to help dealers merchandise the STINGER products and get them into the hands of the roofers. Our growth has expanded internationally in the early 2000's, and is present in over 10 countries worldwide.

ROOFING TODAY

Roofing installation has dramatically changed over the recent years. It wasn't that long ago that roofing a house was simply putting down some roof shingles with family and friends. Those days are gone.

Roofing has become high tech with thermal imaging, moisture testing, drone estimating, and advanced shingle and underlayment materials. Roofing has evolved to installing complete roofing systems including underlayment, fasteners, and shingles. Today, you need a qualified professional to install roofs.

The shortage of labor in the roofing industry coupled with new warranty requirements and ever-changing building codes presents a real challenge to professional roofers. STINGER has joined forces with companies like GAF®, Owens-Corning®, and DuPont® to provide warranty-compliant systems to premier contractors in the marketplace to help them install roofs and sidewalls better, faster, and safer.

REVIEWS FROM THE ROOF



CR Roofing

Tooele, Utah

"I've been using STINGER since the day we opened shop. We were immediately attracted to its ease of use and never looked back. Never once have we had a problem. It's always ready to go when we are."

Cameron Rubio



Tom Joyce Roofing

Nokomis, Florida

“We started using STINGER a couple years ago, and it has made a big difference in job time, efficiency, and many more things.”

Tom Joyce

ProRoof Builders Interlake

Gimli, Manitoba

“We love working with the right products from GAF® Roofing and the right tools from STINGER. It's the perfect team.”



NBS Roofing

Lockport, New York

“Using the STINGER CS150B cap stapler gave me the peace of mind that I never had before. I never worry about the underlayment coming off even during the harshest winter conditions.”

Paul Burdakov



CN100B CAP NAILER

NEW

The **STINGER CN100B CAP NAILER** is our premier pneumatic cap nailing innovation. When you need to quickly and safely lay down underlayment, this is the tool for you. And with a fastener capacity of 200 caps and nails, reloading is easy and efficient - another time saver!



#0136252

- SHOTS 1" x .083 | 25mm x 2mm NAILS WITH FULL 1" | 25mm PLASTIC CAPS
- TOOL-FREE DEPTH OF DRIVE ADJUSTMENT
- LIGHTWEIGHT, COMPACT DESIGN
- 360° EXHAUST
- CARRYING CASE INCLUDED
- HOLDS 200 CAPS AND 200 NAILS
- FIRES 5 CAP NAILS PER SECOND (MAX. CYCLE/RATE)

FOR USE WITH: **2000 CT. 1" | 25mm STINGER NAILPAC®**

- 10 reels of 200 collated plastic caps
- 10 coils of 200 Electro Galvanized ring shank nails
- Each NailPac will cover approximately 25 square
- For use with STINGER CN100B & CN100 Cap Nailer only
- **Meets ASTM F1667 requirements**



#0136260

CS150B CAP STAPLER

NEW

The **STINGER CS150B** is a versatile tool that provides builders with proven performance and best practice for securing synthetic underlayments as well as roofing felt, foamboard, and housewrap.



#0136012



- SHOOTS 5/8", 7/8", 1-1/4" AND 1-1/2" | 16mm, 22mm, 32mm AND 38mm STAPLES WITH FULL 1" | 25mm PLASTIC CAPS
- CHOOSE BETWEEN BUMP FIRE OR SEQUENTIAL FIRE MODE
- COMPACT, ERGONOMIC DESIGN FOR MANEUVERABILITY
- 360° TOOL-FREE ADJUSTABLE EXHAUST
- CARRYING CASE INCLUDED
- HOLDS 200 CAPS AND 200 STAPLES
- FIRES 5 CAP STAPLES PER SECOND (MAX. CYCLE/RATE)

FOR USE WITH: **2000 CT. 18ga STINGER STAPLEPAC®**

- 10 reels of 200 collated plastic caps
- 20 strips of 100 staples; 18 gauge
- Each StaplePac will cover approximately 25 square
- For use with STINGER CS150B & CS150 Staplers only
- **Meets ASTM F1667 requirements**

18ga
STAPLES

Look for
this icon on
matching
StaplePac for
the CS150B



5/8" StaplePac: #0136024
7/8" StaplePac: #0136044
1-1/4" StaplePac: #0136074
1-1/2" StaplePac: #0136094

CH38-2 CAP HAMMER

The **STINGER CH38-2** is the economical, non-pneumatic alternative to stapling. The CH38-2 is an award-winning champion for installing housewrap, underlayment, and rolled insulation.



- INCREASED INTERNAL HANDLE STRENGTH
- ADDED HANDLE GRIP TO AID PERFORMANCE
- IMPROVED STAPLE TRACK & SPRING FOR RELIABLE PERFORMANCE
- INCREASED WELD STRENGTH ON CUTTER AND TRIGGER AREAS
- IMPROVED STAPLE DESIGN TO MAXIMIZE PRODUCTIVITY

FOR USE WITH: **2016 CT. 3/8" | 9.5mm STINGER STAPLEPAC®**

- 12 reels of 168 collated plastic caps
- 24 strips of 84 staples
- Each StaplePac covers approximately 25 square
- For use with all STINGER CH38-2 style Cap Hammers
- **Meets ASTM F1667 requirements**



#0136420

CH38A AUTOFEED CAP HAMMER

The **STINGER CH38A CAP HAMMER** is our non-pneumatic autofeed cap hammer - and is ideal for installing housewrap and underlayment. Unlike the CH38-2, the CH38A does not require a trigger to advance the cap.



#0136401

- TRIGGER FREE OPERATION
- IMPROVED TRACK AND FEED SPRING DESIGN
- EASY TO LOAD
- CONVENIENT BELT HOOK
- IMPROVED STAPLE COLLATION

FOR USE WITH: **2016 CT. 3/8" | 9.5mm STINGER STAPLEPAC®**

- 12 reels of 168 collated plastic caps
- 24 strips of 84 staples
- Each StaplePac covers approximately 25 square
- For use with all STINGER CH38-2 style Cap Hammers
- **Meets ASTM F1667 requirements**



#0136420

HT38 HAMMER TACKER

The **STINGER HT38 HAMMER TACKER** was designed for installing roofing felt and rolled insulation with staples only. This tool is very light and easy to maneuver using 3/8” crown staples.



#0136450

FOR USE WITH: **3/8” | 9.5mm STINGER A-11 STAPLES**

- 5000 count
- A-11 Galvanized Chisel Point Staples
- 3/8” | 9.5mm crown, 3/8” | 9.5mm length
- 21 gauge
- Similar to: Spotnails®, Rapid® A-11, Arrow® T-50
- **Meets ASTM F1667 requirements**



#0940042

FINE WIRE STAPLES

SKU #	LENGTH	CROWN	DESCRIPTION	QTY
0940031	1/4” 6.4mm	7/16” 11mm	Bostitch STCR5019	5000
0940041	3/8” 9.5mm	7/16” 11mm	Bostitch STCR5019	5000
0940035	5/16” 8mm	3/8” 9.5mm	A-11 - T50	5000
0950038	5/16” 8mm	1/2” 12.5mm	DuoFast 5010C	5000

COMMERCIAL CAP NAILER

The **STINGER RT3 COMMERCIAL CAP NAILER** is designed for commercial Built-Up Roof Systems. This pneumatic metal cap system is ideal for securing base sheet to wood decks. This easy-to-use tool nails as you walk with 6", 9" or 18" spacing, and is a incredible time saver for large jobs.



#0136005

- **SHOOTS 1500 1-1/4" | 32mm NAILS WITH FULL 1" | 25mm STEEL CAPS WITHOUT RELOADING**
- **AUTOMATIC SPACING AT 6", 9" OR 18" | 152mm, 228mm, OR 457mm OR MANUAL SPACING**
- **DRIVEN BY A DURABLE HITACHI® NV50A1 COIL NAILER**
- **AIR PREP UNIT FILTERS WATER, REGULATES PRESSURE AND OILS THE MOTOR**
- **PASSES WIND UPLIFT TESTS REQUIRED FOR BASE SHEET APPLICATION**

FOR USE WITH:
3000 CT. 1-1/4" | 32mm STINGER ROLPAC®

- 2 - 1500 ct. reels of 1" | 25mm collated steel caps
- 2 - 1500 ct. coils of 1-1/4" | 32mm collated Electro Galvanized ring shank nails
- Wire collation
- For use with STINGER RT3 Cap Nailer only
- **Meets ASTM F1667 requirements**



#0136072

EXO SYNTHETIC UNDERLAYMENT

STINGER offers three ICC-certified synthetic underlayments - EXO50, EXO35, and EXO25. STINGER underlayments work very well with our market-leading cap fastening technologies to create a moisture management system for the roof. With non-skid additives for slip resistance, our underlayments are safer than ever to install.



- ICC-ES ESR-3905
- MADE IN USA
- UV RESISTANT - CAN BE EXPOSED FOR UP TO 6 MONTHS
- 100% POLYPROPYLENE SYNTHETIC WOVEN FABRIC OFFERS HIGH TEAR STRENGTH
- PREPRINTED NAILING PATTERN AND OVERLAP LINES TO SPEED INSTALLATION
- CLASS A FIRE RATING AS AN APPROVED CLASS A PREPRINTED ROOFING ASSEMBLY
- CO-BRANDING AVAILABLE
- APPROVED FOR USE WITH METAL ROOFING
- 10 SQUARE ROLL (48" X 250')




Tested in conjunction with STINGER NailPac to last for 60 minutes in 150mph winds!

CO-BRANDING

STINGER offers a great marketing opportunity for contractors to co-brand with the STINGER brand on our EXO50, EXO35, and EXO25 synthetic underlayment. Co-branding on STINGER underlayment is an effective form of advertising for the contractor in the neighborhood. Contact your STINGER sales representative for details on the STINGER EXO synthetic underlayment co-branding program.






#0342970

STINGER[®] EXO25

SYNTHETIC UNDERLAYMENT

- 25 year warranty
- Proprietary non-skid additive on walking surface for slip resistance.
- Manufactured from post industrial recycled materials.
- 100% recyclable - eliminates job site scrap.
- Light - only 20lbs per roll.
- 10 squares per roll - fewer rolls to carry on the roof.

MEETS OR EXCEEDS REQUIREMENTS FOR ASTM D226 & D4869




#0342973

STINGER[®] EXO35

SPUN BOND MULTI-PLY SYNTHETIC UNDERLAYMENT

- 35 year warranty
- Slip resistant spun bond walking surface for added safety; proprietary non-skid additive on underside for better roof deck contact.
- Absorbent top layer reduces water on walking surface.
- Light gray color reduces heat and provides cooler working surface.
- Light - only 20lbs per roll.
- 10 squares per roll - fewer rolls to carry on the roof.

MEETS OR EXCEEDS REQUIREMENTS FOR ASTM D226 & D4869



#0342975

STINGER[®] EXO50


PREMIUM SYNTHETIC UNDERLAYMENT

- 50 year warranty
- Proprietary non-skid additive on both sides for highest slip resistance.
- Light gray color reduces heat and provides cooler working surface.
- Light - only 28lbs per roll.
- 10 squares per roll means fewer rolls to carry on the roof.
- Can save up to 50% in labor cost, compared to 30# felt.

MEETS OR EXCEEDS REQUIREMENTS FOR ASTM D226 TYPE I & II

HAND DRIVE CAP NAILS

HAND DRIVE CAP NAILS



For those who want best practice and prefer to hand drive cap nails for roofing underlayments, felt, foamboard, and housewrap, STINGER® HandDrive offers a variety of economical plastic and steel cap fastening solutions.

PLASTIC CAP



2000 ct. Box



2500 ct. & 3000 ct. Pails

HAND DRIVE - PLASTIC CAP NAILS

SKU #	FASTENER LENGTH	DESCRIPTION	COATING	QTY
0135031	3/4" 19mm	Plastic Cap Ring Shank Nails - Pail	Electro Galvanized	3000
0135033	3/4" 19mm	Plastic Cap Ring Shank Nails - Box	Electro Galvanized	2000
0135041	7/8" 22mm	Plastic Cap Ring Shank Nails - Pail	Electro Galvanized	3000
0135043	7/8" 22mm	Plastic Cap Ring Shank Nails - Box	Electro Galvanized	2000
0135051	1" 25mm	Plastic Cap Ring Shank Nails - Pail	Electro Galvanized	3000
0135053	1" 25mm	Plastic Cap Ring Shank Nails - Box	Electro Galvanized	2000
0135071	1-1/4" 32mm	Plastic Cap Ring Shank Nails - Pail	Electro Galvanized	2500
0135073	1-1/4" 32mm	Plastic Cap Ring Shank Nails - Box	Electro Galvanized	2000
0135091	1-1/2" 38mm	Plastic Cap Ring Shank Nails - Pail	Electro Galvanized	2000
0135093	1-1/2" 38mm	Plastic Cap Ring Shank Nails - Box	Electro Galvanized	2000
0135111	1-3/4" 44mm	Plastic Cap Ring Shank Nails - Pail	Electro Galvanized	2000
0135113	1-3/4" 44mm	Plastic Cap Ring Shank Nails - Box	Electro Galvanized	2000
0135131	2" 51mm	Plastic Cap Ring Shank Nails - Pail	Electro Galvanized	2000
0135133	2" 51mm	Plastic Cap Ring Shank Nails - Box	Electro Galvanized	2000
0135151	2-1/2" 63mm	Plastic Cap Ring Shank Nails - Pail	Electro Galvanized	2000
0135153	2-1/2" 63mm	Plastic Cap Ring Shank Nails - Box	Electro Galvanized	2000
0135173	3" 76mm	Plastic Cap Ring Shank Nails - Box	Electro Galvanized	2000

STEEL CAP

Counts vary by length



25 lb Boxes



50 lb Boxes



25 lb Pails

HAND DRIVE - STEEL CAP MASONRY NAILS

SKU #	FASTENER LENGTH	DESCRIPTION	COATING	WEIGHT (LBS)
0129033	3/4" 19mm	Steel Cap Spiral Masonry Nails - Box	Brite	25
0129043	7/8" 22mm	Steel Cap Spiral Masonry Nails - Box	Brite	25
0129053	1" 25mm	Steel Cap Spiral Masonry Nails - Box	Brite	25
0129073	1-1/4" 32mm	Steel Cap Spiral Masonry Nails - Box	Brite	25
0129093	1-1/2" 38mm	Steel Cap Spiral Masonry Nails - Box	Brite	25
0129113	1-3/4" 44mm	Steel Cap Spiral Masonry Nails - Box	Brite	25
0129133	2" 51mm	Steel Cap Spiral Masonry Nails - Box	Brite	25
0129153	2-1/2" 63mm	Steel Cap Spiral Masonry Nails - Box	Brite	25
0129173	3" 76mm	Steel Cap Spiral Masonry Nails - Box	Brite	25
0129193	3-1/2" 89mm	Steel Cap Spiral Masonry Nails - Box	Brite	25
0129203	4" 102mm	Steel Cap Spiral Masonry Nails - Box	Brite	25

HAND DRIVE - STEEL CAP NAILS

SKU #	FASTENER LENGTH	DESCRIPTION	COATING	WEIGHT	CT./LB
0127030	3/4" 19mm	Steel Cap Ring Shank Nails - Pail	Electro Galvanized	25	103
0127032	3/4" 19mm	Steel Cap Ring Shank Nails - Box	Electro Galvanized	50	103
0127040	7/8" 22mm	Steel Cap Ring Shank Nails - Pail	Electro Galvanized	25	102
0127042	7/8" 22mm	Steel Cap Ring Shank Nails - Box	Electro Galvanized	50	102
0127043	7/8" 22mm	Steel Cap Ring Shank Nails - Box	Electro Galvanized	25	102
0127050	1" 25mm	Steel Cap Ring Shank Nails - Pail	Electro Galvanized	25	101
0127052	1" 25mm	Steel Cap Ring Shank Nails - Box	Electro Galvanized	50	101
0127053	1" 25mm	Steel Cap Ring Shank Nails - Box	Electro Galvanized	25	101
0127070	1-1/4" 32mm	Steel Cap Ring Shank Nails - Pail	Electro Galvanized	25	98
0127072	1-1/4" 32mm	Steel Cap Ring Shank Nails - Box	Electro Galvanized	50	98
0127073	1-1/4" 32mm	Steel Cap Ring Shank Nails - Box	Electro Galvanized	25	98
0127090	1-1/2" 38mm	Steel Cap Ring Shank Nails - Pail	Electro Galvanized	25	95
0127092	1-1/2" 38mm	Steel Cap Ring Shank Nails - Box	Electro Galvanized	50	95
0127093	1-1/2" 38mm	Steel Cap Ring Shank Nails - Box	Electro Galvanized	25	95
0127112	1-3/4" 44mm	Steel Cap Ring Shank Nails - Box	Electro Galvanized	50	90
0127113	1-3/4" 44mm	Steel Cap Ring Shank Nails - Box	Electro Galvanized	25	90
0127132	2" 51mm	Steel Cap Ring Shank Nails - Box	Electro Galvanized	50	86
0127133	2" 51mm	Steel Cap Ring Shank Nails - Box	Electro Galvanized	25	86
0127152	2-1/2" 63mm	Steel Cap Ring Shank Nails - Box	Electro Galvanized	50	77
0127153	2-1/2" 63mm	Steel Cap Ring Shank Nails - Box	Electro Galvanized	25	77
0127172	3" 76mm	Steel Cap Ring Shank Nails - Box	Electro Galvanized	50	56
0127173	3" 76mm	Steel Cap Ring Shank Nails - Box	Electro Galvanized	25	56
0127193	3-1/2" 89mm	Steel Cap Ring Shank Nails - Box	Electro Galvanized	25	56
0127203	4" 102mm	Steel Cap Ring Shank Nails - Box	Electro Galvanized	25	32
0127223	5" 127mm	Steel Cap Ring Shank Nails - Box	Electro Galvanized	25	25
0127243	6" 152mm	Steel Cap Ring Shank Nails - Box	Electro Galvanized	25	22
0127263	8" 203mm	Steel Cap Ring Shank Nails - Box	Electro Galvanized	25	13

ROOFING NAILS | COIL ROOFING



HAND DRIVE ROOFING NAILS

- Available in 3/4", 7/8", 1", 1-1/4", 1-1/2", 1-3/4", 2", 2-1/2", and 3" | 19mm, 22mm, 32mm, 38mm, 44mm, 51mm, 63mm, and 76mm lengths
- Electro Galvanized or Hot Dipped Galvanized
- Ring shank or Smooth shank
- Hot Dipped Galvanized coating meets ASTM F1667 & A153
- Electro Galvanized meets ASTM F1667



50 lb Boxes

COIL ROOFING NAILS

- Available in 7/8", 1", 1-1/4", 1-1/2", and 1-3/4" | 22mm, 25mm, 38mm, and 44mm lengths
- Electro Galvanized or Hot Dipped Galvanized
- Ring shank or Smooth shank
- Wire Coil
- Hot Dipped Galvanized coating meets ASTM F1667 & A153
- Electro Galvanized meets ASTM F1667



7200 ct. Box

HAND DRIVE - ROOFING NAILS

SKU #	FASTENER LENGTH	DESCRIPTION	COATING	WEIGHT (LBS)	COUNT/LB
0069032	3/4" 19mm	Roofing Nails	Hot Dipped Galvanized	50	282
0069042	7/8" 22mm	Roofing Nails	Hot Dipped Galvanized	50	261
0069052	1" 25mm	Roofing Nails	Hot Dipped Galvanized	50	254
0069072	1-1/4" 32mm	Roofing Nails	Hot Dipped Galvanized	50	196
0069092	1-1/2" 38mm	Roofing Nails	Hot Dipped Galvanized	50	163
0069112	1-3/4" 44mm	Roofing Nails	Hot Dipped Galvanized	50	148
0069132	2" 51mm	Roofing Nails	Hot Dipped Galvanized	50	120
0069152	2-1/2" 63mm	Roofing Nails	Hot Dipped Galvanized	50	106
0069172	3" 76mm	Roofing Nails	Hot Dipped Galvanized	50	90
0132032	3/4" 19mm	Roofing Nails	Electro Galvanized	50	323
0132042	7/8" 22mm	Roofing Nails	Electro Galvanized	50	288
0132052	1" 25mm	Roofing Nails	Electro Galvanized	50	261
0132072	1-1/4" 32mm	Roofing Nails	Electro Galvanized	50	209
0132092	1-1/2" 38mm	Roofing Nails	Electro Galvanized	50	194
0132112	1-3/4" 44mm	Roofing Nails	Electro Galvanized	50	155
0132132	2" 51mm	Roofing Nails	Electro Galvanized	50	136
0132152	2-1/2" 63mm	Roofing Nails	Electro Galvanized	50	109
0132172	3" 76mm	Roofing Nails	Electro Galvanized	50	93

COIL ROOFING NAILS

SKU#	FASTENER LENGTH	DESCRIPTION	COATING	QTY
0611040	7/8" x .120 2mm x 3mm	Smooth Shank Round Head	Electro Galvanized	7200
0611050	1" x .120 25mm x 3mm	Smooth Shank Round Head	Electro Galvanized	7200
0611070	1-1/4" x .120 32mm x 3mm	Smooth Shank Round Head	Electro Galvanized	7200
0611072	1-1/2" x .120 38mm x 3mm	Ring Shank Round Head	Electro Galvanized	7200
0611090	1-1/2" x .120 38mm x 3mm	Smooth Shank Round Head	Electro Galvanized	7200
0611110	1-3/4" x .120 44mm x 3mm	Smooth Shank Round Head	Electro Galvanized	7200
0611073	1-1/4" x .120 32mm x 3mm	Smooth Shank Round Head	Hot Dipped Galvanized	7200
0611075	1-1/4" x .120 32mm x 3mm	Ring Shank Round Head	Hot Dipped Galvanized	7200
0611054	1" x .120 25mm x 3mm	Ring Shank Round Head	304 Stainless Steel	3600
0611074	1-1/4" x .120 32 x 3mm	Ring Shank Round Head	304 Stainless Steel	3600
0611094	1-1/2" x .120 38mm x 3mm	Ring Shank Round Head	304 Stainless Steel	3600
0611114	1-3/4" x .120 44mm x 3mm	Ring Shank Round Head	304 Stainless Steel	3600

MERCHANDISING

SOLUTIONS CENTER

The STINGER® Solutions Center makes your aisle look sharp. The STINGER green will pop in your aisle and draw your customers in. The clean, informative style of the packaging will easily guide them to the product that best suits their needs. Solutions Centers are available in multiple sizes to fit in any retail space.



DRESS FOR SUCCESS

STINGER headerboard, yard banner, aisle violator, window cling, and counter mat provide valuable product information at point-of-purchase to assist consumers in selecting the best STINGER Cap System for the job.

Counter mat



Aisle Violator



Headerboard



Yard Banner

POWERFUL PACKAGING

Vibrant. Cool. Striking. STINGER is sure to catch attention. Tool packaging is bold and informative, and can be displayed on a hook or on the shelf. Pneumatic tools come with a case for protection and longer tool life.



MERCHANDISERS

Show everything you need to install the building envelope in one convenient space. The STINGER® aisle merchandiser allows you to display the mix you want, with space for STINGER underlayments, cap tools, and fasteners. It's a great way to build awareness, increase package sales, and improve connect rates.



SKU #	MERCHANDISER	DESCRIPTION
1130	STINGER AISLE MERCHANDISER	Designed specifically for our STINGER products with room to hold up to 4 tools on the pegboard backing, and over 20 cartons of collated fasteners on the shelves. It comes complete with tool holders and graphics.
1130 AND 1131	STINGER AISLE MERCHANDISER WITH UNDERLAYMENT HOLDER	Same as above, plus add sku #1131 for the underlayment holders.

MERCHANDISER INCLUDES:

- 66" X 53" | 1767MM X 1346MM RACK
- 2 PEG HOOKS
- 3 TOOL HOLDERS
- 3 TOOL CARDS
- HEADER AND SIDE PANELS
- TWO UNDERLAYMENT HOLDERS (OPTIONAL)

NATIONAL NAIL

Your brand experience should be special. At National Nail, our brands should make you a *rock star* when it comes to providing product solutions your customers need. The products position you as an innovation leader with new technologies that make builders better at what they do.



Packaged and Bulk Nails

- Framing
- Finish
- Roofing
- Specialty
- Masonry
- Staples
- Decking
- Siding
- Caps

Packaged and Bulk Screws

- Decking
- Drywall
- Multi-Purpose
- Specialty

Collated Fasteners

- Framing
- Roofing
- Finish
- Staples
- Siding
- Metal Connector
- ProjectPac

OUR BRANDS

Your brand experience should be special. At National Nail, our brands should make you a **rock star** when it comes to providing product solutions your customers need. The products position you as an innovation leader with new technologies that make builders better at what they do.

Our goal is to make you the destination for “asked for” brands and products, and we’ll provide you with **Dress for Success** merchandising that brings your customer from the parking lot to the aisle and makes product selection easy.



CAMO®

Edge Deck Fastening System +

- Marksman Edge
- Marksman Pro Guides
- Edge Deck Screws
- Driver and Pre-Drill Bits

+ Also available for contractors - The Edge Pro™ high-speed, collated edge deck fastening system.

Exterior Screws

- Premium Deck Screws
- Composite Screws
- Structural Screws
- Premium Trim Screws
- Universal Deck Clips
- Power Bits

STINGER®

Roofing/Sidewall Solutions

- Cap Hammers
- Cap Staplers
- Cap Nailer
- Cap Fasteners (Staples, Collated Nails and Hand Drive Nails)
- Coil Roofing Nails
- Hand Drive Roofing Nails
- Hammer Tacker
- Synthetic Underlayment

**MICHIGAN**

2964 Clydon Ave SW
Grand Rapids MI 49519
800-968-6245

NEW YORK

5985 Tarbell Rd
Syracuse NY 13206
800-521-1115

GEORGIA

555 Riverside Pkwy, Ste. 100
Austell GA 30168
877-312-2388

TEXAS

1312 West Crosby Rd
Carrollton TX 75006
877-312-2388

CALIFORNIA

8939 Etiwanda Ave
Rancho Cucamonga CA 91739
800-968-6245

STINGERWORLD.COM



WWW.NATIONALNAIL.COM