

BRAND EXPERIENCE

Solutions Center2
Packaging4
Dress for Success
Merchandisers6
WHAT'S NEW
What's New8
EDGE DECK FASTENING SYSTEM
Guides10
Screws14
Driver and Pre-Drill Bits17
FACE FASTENING
Exterior Screws
Premium Deck Screws20
Premium Trim Screws24
Premium Trim Color Cross-Reference Guide28
Composite Screws30
Composite Color Cross-Reference Guide36
HIDDEN FASTENING
CAMO Universal Deck Clip40
STRUCTURAL SCREWS
Structural Screws42
Structural Screw Test Data46
NATIONAL NAIL
Our Brands48

SOLUTIONS CENTER






SOLUTIONS CENTER

Changing the FACE of Decking® is the assignment, so it's no surprise that CAMO is focused on innovative, high quality deck fastening solutions for the Pro and DIYer. From securing the substructure to fastening the deck boards, fascia and trim, CAMO offers a full line of premium fastening products and systems for deck and exterior projects, including game-changing, patented Edge Fastening technologies that create a Barefoot Approved™ fastener-free surface for wood, composite and PVC boards.



BRAND EXPERIENCE



Innovation - It's about being a thought leader and bringing something new to the market. CAMO is building the Edge Fastening category with unique patented technologies for the Pro and DIYer.

Shopability - On-the-shelf and in-the-aisle Dress for Success merchandising and color-coding that improves way-finding, grows connect rates, and builds brand awareness.

Quality - From the moment you approach the CAMO shelf, you experience what Premium means: fasteners, guides and accessories engineered for confidence and dependability; star drive fasteners and power bits; and fasteners packaged in pails with informative labeling. And CAMO Quality is backed by warranties designed to give you and your customers peace of mind.

PACKAGING



SMART PACKAGING

CAMO® packaging reflects a brand personality that connects the builder with the product. Small master counts reduce inventory investment and increase turns. And with fastener count and square foot coverage (where applicable) on the label, and a drill bit in each package, consumers know exactly what they're buying to get the job done.

Package Label

















BRAND EXPERIENCE


DRESS FOR SUCCESS

From the parking lot to the aisle, our Dress for Success merchandising assists your customers with finding exactly what they are looking for. From banner signs and door clings that draw customers into your store, to bold header boards, informative aisle violators, color-coded shelf talkers, and counter mats for your contractor desk, these visual aids build brand awareness and make product selection easy.

Headerboard



Shelf Talkers



Aisle Violator



Yard Banner



Door Cling



Counter Mat



Description	SKU#
Edge Counter Mat	MK1015
Door Cling	MK1018
Aisle Violator	MK1021
Header Board	0345993
Shelf Talker - ProTech	0001155BH
Shelf Talker - Stainless	0001155BI
Yard Banner	0345994

MERCHANDISERS



CAMO® Edge Fastening

Our merchandisers are designed to attract, engage and motivate customers to purchase our products. Using color-coding and detailed graphics with callouts, our header boards and side panels help reinforce the brand and educate customers to make informed buying decisions.

CAMO Edge Fastening System



CAMO/AZEK



0345952

0345952-AZK

CAMO Countertop



0345967 (shown), 0345969, 0345968

SKU#	MERCHANDISER	DESCRIPTION
0345952	Marksman Edge®	Beautifully designed Point-of-Purchase wire rack merchandiser for high profile placement of the CAMO EDGE FASTENING SYSTEM.
0345952-AZK	CAMO®/AZEK®	Point-of-Purchase wire rack merchandiser for high profile placement of the co-branded CAMO for AZEK Edge Fastening System.
0345967	Countertop Merchandiser	Contains 3 Marksman Pro® Guides and 6 350ct. CAMO Edge Screws.
0345969	Countertop Merchandiser	Contains 3 Marksman Pro-X1® Guides and 6 350ct. CAMO Edge Screws.
0345968	Countertop Merchandiser	Contains 3 Marksman Pro-NB® Guides and 6 350ct. CAMO Edge Screws.

BRAND EXPERIENCE

CAMO® EXTERIOR

Exterior Screws



MERCHANDISER HEADER OPTIONS

Premium Deck




0001193

Stainless



0001198

Composite



0001199

Structural



0001195

SKU#	MERCHANDISER	DESCRIPTION
0001190	Exterior Screws	The mixed CAMO Exterior Screw merchandiser offers a variety of Pro- Tech coated bugle head deck, trim head and color matched composite premium screws for a variety of outdoor projects.
0001193	Premium Deck Screws	The CAMO Premium Deck merchandiser offers dedicated high profile space for fast selling ProTech bugle head premium deck screws. A great solution for any outdoor project.
0001199	Composite Deck Screws	The CAMO Composite Screw merchandiser provides a wide variety of colors to match most leading composite and PVC deck boards.
0001198	Stainless Steel Screws	For areas where extreme corrosion resistance is a necessity such as in coastal waterways, the CAMO Stainless Steel merchandiser offers dedicated high profile space to display.
0001195	Structural Screws	The CAMO Structural Screw merchandiser offers dedicated space for a variety of structural screw solutions including Ledger, Multi-Purpose 1/4" and heavy duty 5/16" screws available in lengths from 2 1/2" - 10"

WHAT'S NEW





UNMATCHED PROTECTION

We're confident in CAMO Edge Fastening. So confident, we've put it in writing. Our CAMO® Warranty has always guaranteed against defective product, rust and corrosion. What sets our Warranty apart is the protection it provides for the deck boards. In the event CAMO Edge Deck Screws cause the board product to fail - we will replace the damaged deck board product at no charge. That's performance and protection you can count on. For complete warranty details, go to www.camofasteners.com.

WE'VE GOT STAINLESS

When you need a stainless fastener, CAMO has you covered with a full selection of stainless steel Premium Deck, Premium Trim, and Composite screws in a variety of colors that match those of leading deck board manufacturers. You'll find them merchandised on the shelf with CAMO Exterior or in the aisle on a dedicated merchandiser. (Page 7)



BRAND EXPERIENCE

EDGE FASTENING FOR PVC

The CAMO Marksman Pro®-X2 and CAMO PVC Hidden Fasteners are designed specifically for installing any PVC deck board product, including AZEK. The Pro-X2 guides the stainless steel deck screws into the edge of the deck board and automatically creates a 1/8"(3mm) gap, the recommended minimum spacing for installing PVC boards. The screws have the same reduced trimhead, star drive and shank design as CAMO Edge Deck Screws, but have a sharp point for faster starts in PVC. (Page 11)



EXTREME MAKEOVER

CAMO Exterior has a great new look! Check out the new packaging in plastic pails – they fit the same shelf space as the original boxes. New product categories include an expanded Structural Screw line, along with ProTech coated and 316 Stainless Steel Premium Deck, Premium Trim, and Composite Screws in colors to match most wood, composite and capped composite boards. New color-coded labels and point-of-purchase materials help you easily locate the right fasteners on the shelf, and five dedicated merchandisers make cross-merchandising a breeze. (Beginning Page 18)



UNIVERSAL HIDDEN DECK CLIP

Installing grooved deck boards? CAMO Clips work with most grooved boards including Trex®, TimberTech®, AZEK®, Fiberon and many more. The stainless steel clip and fastener are pre-assembled for easy installation, and creates an automatic 1/4"(6mm) gap. 90° fastener entry secures the clip to the joist, and the serrated clip edge helps prevent board creep. You'll find them merchandised on the shelf with CAMO Exterior or in the aisle on a dedicated merchandiser. (Page 40)



MARKSMAN GUIDES






WHAT IS EDGE FASTENING?

Designed to create a fastener-free deck surface, CAMO Marksman guides are used to install a multitude of different deck products including:

- Wood deck board products including softwoods such as pressure treated lumber, cedar, redwood and other similar products and hardwoods including Ipe, Kebony®, Tigerwood, Ironwood, Cumaru and other similar products.
- Wood alternative deck board products (solid and grooved) such as composite, capped composite, and PVC decking products including those manufactured by Trex®, Fiberon, AERT, CPG Building Products (Timbertech® and AZEK® brands), TAMKO®, Wolf® and other similar products.

How It Works





EDGE

CAMO® Marksman Pro® guides are heavy-duty, contractor grade tools. Their clamping action grips the deck board and perfectly lines up the dual screw guide holes ready to drive CAMO® screws into each 'Edge' of the board - leaving a beautiful, fastener free, deck surface. Choose your guide based on your deck board size and desired gap spacing.



MARKSMAN PRO®

- For use with treated, hardwood, cedar, composite and PVC deck boards
- Fits most 5-1/4" (133mm) to 5-3/4" (146mm) deck board
- Automatic 3/16" (5mm) spacing



MARKSMAN PRO® - X1

- For use with treated and other softwood lumber
- Fits most 5-1/4" (133mm) to 5-3/4" (146mm) deck board
- Automatic 1/16" (3mm) spacing



MARKSMAN PRO® - X2

- For use with composite and PVC deckboards
- Fits most 5-1/4" (133mm) to 5-3/4" (146mm) deck board
- Automatic 1/8" (3mm) spacing



MARKSMAN PRO® - NB

- For use with treated, hardwood, cedar, composite and PVC deck boards. For narrow deck boards measuring 3-1/4" (83mm) to 5" (127mm) Automatic 3/16" (5mm) spacing



MARKSMAN EDGE™

- For use with treated and other softwood lumber
- No installed gap between boards
- Attaches to any drill
- Heavy-duty, contractor grade tool
- For additional gap options, can be used with secondary spacers

SKU#	DESCRIPTION	QTY	CT./MASTER
0345001	Marksman Pro	1	6
0345002	Marksman Pro - X1	1	6
0345003-AZK	Marksman Pro - X2	1	6
0345015	Marksman Pro - NB	1	6
0345020	Marksman Edge	1	6

EDGE PRO | COLLATED FASTENING





Installing a fastener-free deck surface is fast and easy with the CAMO Collated Edge Pro Fastening System.

Designed for no-gap installation of treated wood decking, the CAMO Edge Pro can also be used with a wide variety of wood, composite, and PVC deck boards and secondary spacers.

The CAMO Edge Pro and CAMO Collated Edge Deck Screws attach boards directly to the joist. The secure side-angle entry reduces splitting, cracking and fastener pops inherent with face-fastened deck boards.

No matter which deck material you choose, the Edge Pro provides a beautiful deck surface that will be enjoyed for years to come.







- High-speed, collated edge deck fastening system
- For use with treated and other softwood lumber, but can be used on most types of decking
- Heavy-duty, contractor-grade tool
- No installed gap between boards
- For additional gap options, can be used with secondary spacers

Includes:

- Milwaukee Drill
- **Edge Pro Attachment**
- 2 Driver Bits
- **Carrying Case**

SKU#	DESCRIPTION	QTY	CT./MASTER
0345050	Edge Pro	1	1

COLLATED EDGE DECK SCREWS



- 50 CAMO Collated Edge Deck Screws per strip
- 2-3/8" (60mm)
- For use with the Edge Pro only

SKU#	SIZE	QTY	ALLOY
0345343	2-3/8" (60mm) x #7	1000	ProTech
0345443S	2-3/8" (60mm) x #7	1000	316 SS


EDGE PRO DRIVER BIT

SKU#	DESCRIPTION	QTY	CT./MASTER
0345079	Edge Pro Driver	2/pk	4

- Replacement driver bit for the CAMO Edge Pro
- For use with the CAMO Collated Edge Pro Fastening System only

EDGE DECK SCREWS





CAMO Edge Deck Screws are an innovative, easy-to-install alternative to face fastening, clips and other hidden fasteners. Great for wood decks, CAMO Edge Deck Screws deliver a high-end look at an affordable price. They work beautifully in solid and grooved composite or PVC materials; and with a Limited Warranty, CAMO stands the test of time.

WHAT MAKES EDGE FASTENING INNOVATIVE?

Versatile - Secures solid or grooved treated lumber, hardwood, cedar, composite or PVC deck boards.

Affordable - Priced like a deck screw, CAMO Edge Deck Screws cost less than \$.30/sq.ft. when using the 1-7/8" (48mm) ProTech Coated carbon steel screws.

Easy - No pre-drilling is required* and Marksman guides provide automatic spacing or no gap installation. It's as easy as SET - LOAD - DRIVE.


Secure - Attaches deck boards directly to the joist reducing board movement. CAMO Edge Deck Screws have been independently tested and exceed ICC-ES Acceptance Criteria for Deck Board Span Ratings and Guardrail Systems (Guards and Handrails) (AC174) (Section 4.1.4) in all wood, composite and PVC boards tested.

Removable - Screws back out easily if board replacement is necessary - just put the drill in reverse.


ACQ Compatible - CAMO's proprietary ProTech coating provides three protective layers that pass a 1500 hour salt spray test in accordance with ASTM B117 and guards against corrosion when used with chemically treated wood. 316 Stainless Steel offers ultimate corrosion resistance and is recommended for coastal environments.

 ${}^*When \ using \ Stainless \ Steel \ CAMO \ Edge \ Deck \ Screws \ with \ hardwood \ decking, \ pre-drilling \ is \ required.$

EDGE



EDGE DECK SCREWS



Available in 1-7/8" (48mm) and 2-3/8" (60mm) ProTech coated carbon steel and 304 or 316 Stainless Steel

- Reduced Trimhead design provides a less visible point of entry
- Star Drive offers more points of contact for better performance and reduces bit slippage and wear
- Reverse Upper Thread pulls the board tight to the joist and provides a clean, finished entry
- Aggressive Lower Thread pattern provides superior holding power
- Reverse Rake Tip removes deck material as it bores, allowing the screw to penetrate the board without splitting

DECK BOARD MATERIAL	RECOMMENDED CAMO EDGE DECK FASTENER
Pressure Treated Lumber	Stainless Steel or ProTech Coated
Composite or Capped Composite	Stainless Steel or ProTech Coated
PVC	Stainless Steel or ProTech Coated
Cedar	Stainless Steel
Redwood	Stainless Steel
Hardwood or Imported Hardwood	Stainless Steel (with pre-drilling)







EDGE DECK SCREWS



ProTech COATED

SKU#	SIZE	QTY	DRIVER BIT	CT./MASTER
0345120		100		12
0345128	1-7/8" (48mm) x #7	350	1 - T15	12
0345124		700	2 - T15	4
0345119		1750	2 - T15	4
0345140		100		12
0345148	2-3/8" (60mm) x #7	350	1 - T15	12
0345144		700	2 - T15	4
0345139		1750	2 - T15	4

304 STAINLESS STEEL (NEW ITEM - AVAILABLE SUMMER 2017)

SKU#	SIZE	QTY	DRIVER BIT	CT./MASTER
0345748		350	1 - T15	12
0345744	2-3/8" (60mm) x #7	700	2 - T15	4
0345739		1750	2 - T15	1

316 STAINLESS STEEL

SKU#	SIZE	QTY	DRIVER BIT	CT./MASTER
0345220S		100		12
0345228S	1-7/8" (48mm) x #7	350	1 - T15	12
0345224S		700	2 - T15	4
0345219S		1750	2 - T15	1
0345240S		100		12
0345248S	2-3/8" (60mm) x #7	350	1 - T15	12
0345244S		700	2 - T15	4
0345239S		1750	2 - T15	1

AZEK® CO-BRANDED STAINLESS STEEL (SHARP POINT FOR PVC ONLY)

SKU#	SIZE	QTY	DRIVER BIT	CT./MASTER
0345539\$		350	1 - T15	12
0345544S	2-3/8" (60mm) x #7	700	2 - T15	4
0345548S		1750	2 - T15	1

1-7/8" (48mm) - FOR USE WITH 3/4" (19mm) - 1" (25mm) DECK BOARDS

2-3/8" (60mm) - FOR USE WITH 1" (25mm) - 1-1/2" (38mm) DECK BOARDS

DECKPACS

SKU#	SIZE	QTY	DRIVER BIT	CT./MASTER
0345100*	1-7/8" (48mm) x #7	700	2 - T15	4
0345107**		1050	2 - T15	4
0345110***	2-3/8" (60mm) x #7	700	2 - T15	4

^{*}Deckpac contains the Marksman Edge, 700 ProTech coated Edge fasteners, 2 T15 driver bits

DRIVER AND PRE-DRILL BITS

CAMO Driver Bits are engineered specifically for use with CAMO Edge Deck Fastening System. The built-in shoulder sets automatic depth of drive for maximum holding power, and prevents over-driving the screw.

SKU#	DESCRIPTION	QTY	CT./MASTER
0345099	Driver Bit	2/pk	10
0345089	Driver Bit for Grooved Board	2/pk	10
0345035	Pre-Drill Bit	2/pk	10

DRIVER BITS AND PRE-DRILL BITS



^{**}Deckpac contains the Marksman Edge, 1050 ProTech coated Edge fasteners, 2 T15 driver bits

^{***}Deckpac contains the CAMO Marksman Pro, 700 ProTech coated Edge fasteners, 2 T15 driver bits

EXTERIOR SCREWS





CAMO Exterior screws provide a great fastening solution for whatever your exterior project demands. Built for premium protection and performance whether ProTech or stainless steel is selected for your project, CAMO Fasteners are compatible and warranted with today's complex variety of treated lumber and synthetic decking materials. CAMO has you covered.

CAMO ProTech coating provides a triple layer of protection with zinc dichromate covered with two layers of the CAMO proprietary ProTech polymer. ProTech coated CAMO Exterior Fasteners pass a minimum of 1500 hour salt spray test in accordance with ASTM B117.

CAMO 305 or 316 Stainless Steel fasteners offer superior corrosion resistance when conditions demand. 316 stainless is recommended for marine and coastal environments.

Our high-quality CAMO Exterior Screws include 4 categories:

CAMO Premium Deck - Multi-purpose bugle head screws for decking and other exterior projects

CAMO Premium Trim - Trimhead screws for finishing applications

CAMO Composite - Color-coded to match the color of your deck board

CAMO Structural - Strength and durability for the posts, sub frame and joists

FACE FASTENING



305 or 316 Stainless Steel: Offer superior corrosion resistance. 316 Stainless is recommended for marine and coastal environments.



ProTech coated carbon steel: Two ProTech coatings over a layer of zinc dichromate passes a 1500 hour salt spray test in accordance with ASTM B117.

POWER BITS

CAMO Power Bits are engineered specifically for use with CAMO Exterior Screws. The built-in shoulder sets automatic depth of drive for maximum holding power, and prevents over-driving the screw.



SKU#	DESCRIPTION	QTY	CT./MASTER
0333900	T15 Star Drive	3	10
0333910	T20 Star Drive	3	10
0333920	T25 Star Drive	3	10
0333990	T30 Star Drive	3	10
0333930	T40 Star Drive	3	10



PREMIUM DECK SCREWS





CAMO premium buglehead deck screws blend in with wood surfaces and secure your project for a lifetime.

WHAT MAKES THESE DECK SCREWS PREMIUM?

Screw Design - Head style and 2/3 thread design combine to draw the board tight without cutting into the board, leaving a flush finish.

Star Drive - Provides more points of contact to reduce cam-out and eliminate excessive wear on the screw head and bit.

Type 17 Slash Point - Starts fast and makes it easier to drive the screw.


ACQ Compatible - CAMO's proprietary ProTech coating provides three protective layers that pass a 1500 hour salt spray test in accordance with ASTM B117 and guards against corrosion when used with chemically treated wood. Also available in 305 or 316 Stainless Steel.

Limited Warranty - CAMO guarantees against rust and corrosion for the life of the project.



PREMIUM DECK SCREWS

Buglehead Screws















PROTECH COATED

GREEN SKU#	TAN SKU#	SIZE	QTY	CT./MASTER
0341070	0356070	1-1/4" (32mm) x #7	100	12
0341074	0356074		350	4
0341100	0356100		100	12
0341104	0356104	1-5/8" (41mm) x #8	350	4
0341109	0356109		1750	1
0341130	0356130		100	12
0341134	0356134	2" (51mm) x #8	350	4
0341139	0356139		1750	1
0341150	0356150		100	12
0341154	0356154	2-1/2" (64mm) x #9	350	4
0341159	0356159		1750	1
0341170	0356170		100	12
0341174	0356174	3" (76mm) x #9	350	4
0341179	0356179		1750	1
0341190	0356190		50	12
0341194	0356194	3-1/2" (89mm) x #10	250	4
0341199	0356199		1350	1
0341200	0356200		50	12
0341204	0356204	4" (102mm) x #10	250	4
0341209	0356209		1350	1

305 STAINLESS STEEL

SKU#	SIZE	QTY	CT./MASTER
0348150		100	12
0348154	2-1/2" (64mm) x #10	350	4
0348159		1750	1
0348170		100	12
0348174	3" (76mm) x #10	350	4
0348179		1750	1



FACE FASTENING

316 STAINLESS STEEL

SKU#	SIZE	QTY	CT./MASTER
0348100S	1-5/8" (41mm) x #9	100	12
0348104S		350	4
0348130S		100	12
0348134S	2" (51mm) x #9	350	4
0348139S		1750	1
0348150S		100	12
0348154S	2-1/2" (64mm) x #10	350	4
0348159S		1750	1
0348170S		100	12
0348174S	3" (76mm) x #10	350	4
0348179S		1750	1
0348190S		50	12
0348194S	3-1/2" (89mm) x #10	250	4
0348199S		1350	1



PREMIUM TRIM SCREWS





For exterior trim and a variety of other exterior projects, CAMO[®] Premium Trim Screws blend in with your material and secure your project for a lifetime.

WHAT MAKES THESE TRIM SCREWS PREMIUM?

Screw Design - Trimhead style and 2/3 thread design combine to draw the board tight, leaving less screw visibility for your exterior finish projects.

ACQ Compatible - CAMO's proprietary ProTech coating provides three protective layers that pass a 1500 hour salt spray test in accordance with ASTM B117 and guards against corrosion when used with chemically treated wood. Also available in 305 and 316 stainless steel.


Star Drive - More points of contact to reduce cam-outs and deliver higher torque.

Type 17 Slash Point - Starts fast and makes it easier to drive the screw.

Limited Warranty - CAMO® guarantees against rust and corrosion for the life of the project.

FACE FASTENING

PREMIUM TRIM SCREWS















PROTECH COATED

SKU#	SIZE	QTY	CT./MASTER
0346100	1-5/8" (41mm) x #7	100	12
0346104		350	4
0346130	2" (51mm) x #7	100	12
0346134		350	4
0346150	2-1/2" (64mm) x #7	100	12
0346154		350	4
0346170	3" (76mm) x #7	100	12
0346174		350	4
0346190	3-1/2" (89mm) x #8	100	12
0346194		350	4

316 STAINLESS STEEL

SKU#	SIZE	QTY	CT./MASTER
0350100S	1-5/8" (41mm) x #8	100	12
0350104S		350	4
0350130S	2" (51mm) x #8	100	12
0350134S		350	4
0350150S	2-1/2" (64mm) x #8	100	12
0350154S		350	4
0350170S	3" (76mm) x #8	100	12
0350174S		350	4
0350190S	3-1/2" (89mm) x #8	100	12
0350194S		350	4

316 STAINLESS STEEL

SKU#	SIZE	QTY	CT./MASTER	COLOR
0353100S		100	12	
0353104S	1-5/8" (41mm) x #8	350	4	
0353109S		1750	1	White
0353150S		100	12	
0353154S	2-1/2" (64mm) x #8	350	4	
0353159S		1750	1	





316 STAINLESS STEEL PAINTED

SKU#	SIZE	QTY	CT./MASTER	COLOR]
0353000BS		100	12		TURNS HE HIL TO THE VENTA
0353004BS	1-5/8" (41mm) x #8	350	4		
0353009BS		1750	1	Brown	
0353050BS		100	12		
0353054BS	2-1/2" (64mm) x #8	350	4		一位上海市 特别。
0353059BS		1750	1		
0353000TS		100	12		
0353004TS	1-5/8" (41mm) x #8	350	4		
0353009TS		1750	1	Tan	
0353050TS		100	12		
0353054TS	2-1/2" (64mm) x #8	350	4		
0353059TS		1750	1		
					ļ
0353000CS		100	12		
0353004CS	1-5/8" (41mm) x #8	350	4		
0353009CS		1750	1	Cedar	
0353050CS		100	12		
0353054CS	2-1/2" (64mm) x #8	350	4		
0353059CS		1750	1		
0353000ES		100	12		
0353004ES	1-5/8" (41mm) x #8	350	4		
0353009ES		1750	1	Grey	
0353050ES		100	12		
0353054ES	2-1/2" (64mm) x #8	350	4		
0353059ES		1750	1		
					ļ
0353000RS		100	12		
0353004RS	1-5/8" (41mm) x #8	350	4	Redwood	
0353009RS		1750	1		
0353050RS		100	12		
0353054RS	2-1/2" (64mm) x #8	350	4		
0353059RS		1750	1		COLUMN TO THE PARTY AND A STATE OF THE PARTY A




316 STAINLESS STEEL PAINTED

SKU#	SIZE	QTY	CT./MASTER	COLOR]
0353000WS		100	12		STREETS AROTHOS AMOUNT AND
0353004WS	1-5/8" (41mm) x #8	350	4		
0353009WS		1750	1	Winchester	
0353050WS		100	12		
0353054WS	2-1/2" (64mm) x #8	350	4		
0353059WS		1750	1		USS AND LESS HERDES AVES LOSS ASS
0353000NS		100	12		
0353004NS	1-5/8" (41mm) x #8	350	4		
0353009NS		1750	1	Stone Grey	
0353050NS		100	12		
0353054NS	2-1/2" (64mm) x #8	350	4		
0353059NS		1750	1		
0353000SS		100	12		
0353004SS	1-5/8" (41mm) x #8	350	4		
0353009SS		1750	1	Sand	
0353050SS		100	12		
0353054SS	2-1/2" (64mm) x #8	350	4		
0353059SS		1750	1		
					ĺ
0353000MS		100	12		
0353004MS	1-5/8" (41mm) x #8	350	4		
0353009MS		1750	1	Mocha	
0353050MS		100	12		
0353054MS	2-1/2" (64mm) x #8	350	4		
0353059MS		1750	1		
0353000DS		100	12		
0353004DS	1-5/8" (41mm) x #8	350	4		
0353009DS		1750	1	Dark Brown	
0353050DS		100	12		
0353054DS	2-1/2" (64mm) x #8	350	4		
0353059DS		1750	1		




FACE FASTENING



COMPOSITE DECK SCREWS





For your next wood alternative deck project, CAMO® HAS YOU COVERED. These Composite Screws deliver unsurpassed performance and a beautiful flush finish in composite and PVC deck boards, including the latest capped composite materials.

WHAT MAKES THESE COMPOSITE SCREWS PERFORM?

Head Design - The leading edge of the head is designed to cut cleanly through the board surface to provide a smooth finish and small reveal. A T20 star drive offers more points of contact to reduce cam-out and eliminate excessive wear on the screw head and bit.

Screw Design - The unique trilobular shank reduces material displacement and allows higher torque. The sharp thread profile easily drives through the board, while the reverse thread design at the top captures displaced material and increases pull down power.

Type 99 Double Slash Point - Augers material for a fast start and easy penetration.

Color-Matched - To complement most leading manufacturer's composite, capped composite and PVC deck boards.

ACQ Compatible - CAMO's proprietary ProTech coating provides three protective layers that pass a 1500 hour salt spray test in accordance with ASTM B117 and guards against corrosion when used with chemically treated wood. Also available in 305 or 316 Stainless Steel.

Limited Warranty - CAMO guarantees against rust and corrosion for the life of the project.

FACE FASTENING

COMPOSITE DECK SCREWS









COMPOSITE DECK SCREWS



PROTECH COATED

SKU#	SIZE	QTY	CT./MASTER	COLOR	1
0349250		100	12		
0349254	2-1/2" (64mm) x #10	350	4		
0349259		1750	1	Brown	
0349274	3" (76mm) x #10	350	4		
0349279		1750	1		
					1
0349350		100	12		
0349354	2-1/2" (64mm) x #10	350	4		
0349359		1750	1	Cedar	
0349374	3" (76mm) x #10	350	4		
0349379		1750	1		
0349050		100	12		
0349054	2-1/2" (64mm) x #10	350	4		
0349059		1750	1	Dark Brown	
0349074	3" (76mm) x #10	350	4		
0349079		1750	1		
					1
0349450		100	12		
0349454	2-1/2" (64mm) x #10	350	4		NA AW
0349459		1750	1	Grey	
0349474	3" (76mm) x #10	350	4		
0349479		1750	1		
					1
0349650		100	12		
0349654	2-1/2" (64mm) x #10	350	4		
	2 1/2 (0 111111) x 1/10	1 000	,		
0349659		1750	1	Mocha	
0349659 0349674	3" (76mm) x #10			Mocha	
		1750	1	Mocha	
0349674		1750 350	1 4	Mocha	
0349674		1750 350	1 4	Mocha	
0349674 0349679		1750 350 1750	1 4 1	Mocha	
0349674 0349679 0349550	3" (76mm) x #10	1750 350 1750	1 4 1 12	Mocha Redwood	
0349674 0349679 0349550 0349554	3" (76mm) x #10	1750 350 1750 100 350	1 4 1 12 4		②



FACE FASTENING

PROTECH COATED

_					
	COLOR	CT./MASTER	QTY	SIZE	SKU#
		12	100		0349750
		4	350	2-1/2" (64mm) x #10	0349754
	Sand	1	1750		0349759
		4	350	3" (76mm) x #10	0349774
		1	1750		0349779
		12	100		0349950
		4	350	2-1/2" (64mm) x #10	0349954
	Stone Grey	1	1750		0349959
		4	350	3" (76mm) x #10	0349974
		1	1750		0349979
		12	100		0349150
		4	350	2-1/2" (64mm) x #10	0349154
	Tan	1	1750		0349159
		4	350	3" (76mm) x #10	0349174
		1	1750		0349179
		12	100		0349850
		4	350	2-1/2" (64mm) x #10	0349854
	Winchester	1	1750		0349859
		4	350	3" (76mm) x #10	0349874
		1	1750		0349879



COMPOSITE DECK SCREWS



305 STAINLESS

SKU#	SIZE	QTY	CT./MASTER	COLOR
0367158B	2-1/2" (64mm) x #10	350	4	
0367159B		1750	1	Brown
0367178B	3" (76mm) x #10	350	4	
037179B		1750	1	
0367158C	2-1/2" (64mm) x #10	350	4	
0367159C		1750	1	Cedar
0367178C	3" (76mm) x #10	350	4	
0367179C		1750	1	
0367158E	2-1/2" (64mm) x #10	350	4	
0367159E		1750	1	Grey
0367178E	3" (76mm) x #10	350	4	
0367179E		1750	1	
0367158T	2-1/2" (64mm) x #10	350	4	
0367159T		1750	1	Tan
0367178T	3" (76mm) x #10	350	4	
O367179T		1750	1	









316 STAINLESS

SKU#	SIZE	QTY	CT./MASTER	COLOR
0367158BS	2-1/2" (64mm) x #10	350	4	
0367159BS		1750	1	Brown
0367178BS	3" (76mm) x #10	350	4	
0367179BS		1750	1	
0367158CS	2-1/2" (64mm) x #10	350	4	
0367159CS		1750	1	Cedar
0367178CS	3" (76mm) x #10	350	4	
0367179CS		1750	1	
0367158ES	2-1/2" (64mm) x #10	350	4	
0367159ES		1750	1	Grey
0367178ES	3" (76mm) x #10	350	4	
0367179ES		1750	1	







FACE FASTENING

316 STAINLESS

0367158DS 2-1/2" (64mm) x #10 350 4 0367159DS 3" (76mm) x #10 350 4 0367179DS 1750 1 0367179DS 1750 1 0367179DS 1750 1 0367158MS 2-1/2" (64mm) x #10 350 4 0367179MS 3" (76mm) x #10 350 4 0367179MS 1750 1 Mocha 0367159NS 2-1/2" (64mm) x #10 350 4 0367179NS 3" (76mm) x #10 350 4 0367179NS 1750 1 Redwood 0367159RS 2-1/2" (64mm) x #10 350 4 0367179RS 3" (76mm) x #10 350 4 0367179RS 3" (76mm) x #10 350 4 0367179RS 1750 1 Sand 0367179SS 2-1/2" (64mm) x #10 350 4 0367179SS 3" (76mm) x #10 350 4 0367179SS 3" (76mm) x #10 350 4	SKU#	SIZE	QTY	CT./MASTER	COLOR	
0367178DS 3" (76mm) x #10 350 4 0367179DS 1750 1 0367179DS 1750 1 0367158MS 2-1/2" (64mm) x #10 350 4 0367178MS 3" (76mm) x #10 350 4 0367179MS 1750 1 0367159NS 2-1/2" (64mm) x #10 350 4 0367178NS 3" (76mm) x #10 350 4 0367179NS 1750 1 0367159RS 2-1/2" (64mm) x #10 350 4 0367179RS 3" (76mm) x #10 350 4 0367179RS 3" (76mm) x #10 350 4 0367159SS 2-1/2" (64mm) x #10 350 4 0367159SS 2-1/2" (64mm) x #10 350 4 0367159SS 2-1/2" (64mm) x #10 350 4 0367178SS 3" (76mm) x #10 350 4 0367178SS 3" (76mm) x #10 350 4	0367158DS	2-1/2" (64mm) x #10	350	4		
0367179DS 1750 1 0367158MS 2-1/2" (64mm) x #10 350 4 0367159MS 3" (76mm) x #10 350 4 0367179MS 1750 1 0367158NS 2-1/2" (64mm) x #10 350 4 0367159NS 1750 1 0367179NS 1750 1 0367158RS 2-1/2" (64mm) x #10 350 4 0367159RS 2-1/2" (64mm) x #10 350 4 0367179RS 3" (76mm) x #10 350 4 0367179RS 3" (76mm) x #10 350 4 0367159SS 2-1/2" (64mm) x #10 350 4 0367159SS 2-1/2" (64mm) x #10 350 4 0367159SS 3" (76mm) x #10 350 4 0367159SS 3" (76mm) x #10 350 4	0367159DS		1750	1	Dark Brown	
0367158MS 2-1/2" (64mm) x #10 350 4 0367159MS 3" (76mm) x #10 350 4 0367178MS 3" (76mm) x #10 350 4 0367158NS 2-1/2" (64mm) x #10 350 4 0367159NS 1750 1 Stone Grey 0367179NS 3" (76mm) x #10 350 4 0367158RS 2-1/2" (64mm) x #10 350 4 0367159RS 1750 1 Redwood 0367179RS 3" (76mm) x #10 350 4 0367179RS 1750 1 Sand 0367159SS 2-1/2" (64mm) x #10 350 4 0367159SS 2-1/2" (64mm) x #10 350 4 0367159SS 3" (76mm) x #10 350 4 0367159SS 3" (76mm) x #10 350 4	0367178DS	3" (76mm) x #10	350	4		
0367159MS 1750 1 Mocha 0367178MS 3" (76mm) x #10 350 4 0367179MS 1750 1 0367158NS 2-1/2" (64mm) x #10 350 4 0367159NS 1750 1 0367179NS 1750 1 0367159RS 2-1/2" (64mm) x #10 350 4 0367159RS 3" (76mm) x #10 350 4 0367179RS 3" (76mm) x #10 350 4 0367159SS 2-1/2" (64mm) x #10 350 4 0367159SS 2-1/2" (64mm) x #10 350 4 0367159SS 3" (76mm) x #10 350 4 0367159SS 3" (76mm) x #10 350 4 0367159SS 3" (76mm) x #10 350 4	0367179DS		1750	1		
0367159MS 1750 1 Mocha 0367178MS 3" (76mm) x #10 350 4 0367179MS 1750 1 0367158NS 2-1/2" (64mm) x #10 350 4 0367159NS 1750 1 0367179NS 1750 1 0367159RS 2-1/2" (64mm) x #10 350 4 0367159RS 3" (76mm) x #10 350 4 0367179RS 3" (76mm) x #10 350 4 0367159SS 2-1/2" (64mm) x #10 350 4 0367159SS 2-1/2" (64mm) x #10 350 4 0367159SS 3" (76mm) x #10 350 4 0367159SS 3" (76mm) x #10 350 4 0367159SS 3" (76mm) x #10 350 4						
0367178MS 3" (76mm) x #10 350 4 0367179MS 1750 1 0367158NS 2-1/2" (64mm) x #10 350 4 0367159NS 3" (76mm) x #10 350 4 0367178NS 3" (76mm) x #10 350 4 0367159RS 2-1/2" (64mm) x #10 350 4 0367159RS 3" (76mm) x #10 350 4 0367179RS 3" (76mm) x #10 350 4 0367159SS 2-1/2" (64mm) x #10 350 4 0367159SS 2-1/2" (64mm) x #10 350 4 0367159SS 3" (76mm) x #10 350 4 0367178SS 3" (76mm) x #10 350 4	0367158MS	2-1/2" (64mm) x #10	350	4		
0367179MS 1750 1 0367158NS 2-1/2" (64mm) x #10 350 4 0367159NS 3" (76mm) x #10 350 4 0367179NS 1750 1 0367158RS 2-1/2" (64mm) x #10 350 4 0367159RS 3" (76mm) x #10 350 4 0367179RS 3" (76mm) x #10 350 4 0367159SS 2-1/2" (64mm) x #10 350 4 0367159SS 2-1/2" (64mm) x #10 350 4 0367178SS 3" (76mm) x #10 350 4 0367178SS 3" (76mm) x #10 350 4	0367159MS		1750	1	Mocha	
0367158NS 2-1/2" (64mm) x #10 350 4 0367159NS 1750 1 Stone Grey 0367178NS 3" (76mm) x #10 350 4 0367179NS 1750 1 0367159RS 2-1/2" (64mm) x #10 350 4 0367179RS 3" (76mm) x #10 350 4 0367179RS 1750 1 0367159SS 2-1/2" (64mm) x #10 350 4 0367159SS 2-1/2" (64mm) x #10 350 4 0367179RS 1750 1 Sand 0367179SS 3" (76mm) x #10 350 4	0367178MS	3" (76mm) x #10	350	4		
0367159NS 1750 1 Stone Grey 0367178NS 3" (76mm) x #10 350 4 0367179NS 1750 1 0367159RS 2-1/2" (64mm) x #10 350 4 0367178RS 3" (76mm) x #10 350 4 0367179RS 1750 1 0367159SS 2-1/2" (64mm) x #10 350 4 0367179RS 1750 1 Sand 0367178SS 3" (76mm) x #10 350 4 0367178SS 3" (76mm) x #10 350 4	0367179MS		1750	1		
0367159NS 1750 1 Stone Grey 0367178NS 3" (76mm) x #10 350 4 0367179NS 1750 1 0367159RS 2-1/2" (64mm) x #10 350 4 0367178RS 3" (76mm) x #10 350 4 0367179RS 1750 1 0367159SS 2-1/2" (64mm) x #10 350 4 0367179RS 1750 1 Sand 0367178SS 3" (76mm) x #10 350 4 0367178SS 3" (76mm) x #10 350 4						
0367178NS 3" (76mm) x #10 350 4 0367179NS 1750 1 0367158RS 2-1/2" (64mm) x #10 350 4 0367159RS 1750 1 Redwood 0367178RS 3" (76mm) x #10 350 4 0367179RS 1750 1 0367159SS 2-1/2" (64mm) x #10 350 4 0367159SS 1750 1 Sand 0367178SS 3" (76mm) x #10 350 4	0367158NS	2-1/2" (64mm) x #10	350	4		
0367179NS 1750 1 0367158RS 2-1/2" (64mm) x #10 350 4 0367159RS 1750 1 Redwood 0367178RS 3" (76mm) x #10 350 4 0367179RS 1750 1 0367158SS 2-1/2" (64mm) x #10 350 4 0367159SS 1750 1 Sand 0367178SS 3" (76mm) x #10 350 4	0367159NS		1750	1	Stone Grey	, 191,
0367158RS 2-1/2" (64mm) x #10 350 4 0367159RS 1750 1 Redwood 0367178RS 3" (76mm) x #10 350 4 0367179RS 1750 1 0367158SS 2-1/2" (64mm) x #10 350 4 0367159SS 1750 1 Sand 0367178SS 3" (76mm) x #10 350 4	0367178NS	3" (76mm) x #10	350	4		,
0367159RS 1750 1 Redwood 0367178RS 3" (76mm) x #10 350 4 0367179RS 1750 1 0367158SS 2-1/2" (64mm) x #10 350 4 0367159SS 1750 1 Sand 0367178SS 3" (76mm) x #10 350 4	0367179NS		1750	1		
0367159RS 1750 1 Redwood 0367178RS 3" (76mm) x #10 350 4 0367179RS 1750 1 0367158SS 2-1/2" (64mm) x #10 350 4 0367159SS 1750 1 Sand 0367178SS 3" (76mm) x #10 350 4						
0367178RS 3" (76mm) x #10 350 4 0367179RS 1750 1 0367158SS 2-1/2" (64mm) x #10 350 4 0367159SS 1750 1 Sand 0367178SS 3" (76mm) x #10 350 4	0367158RS	2-1/2" (64mm) x #10	350	4		
0367179RS 1750 1 0367158SS 2-1/2" (64mm) x #10 350 4 0367159SS 1750 1 Sand 0367178SS 3" (76mm) x #10 350 4	0367159RS		1750	1	Redwood	
0367158SS 2-1/2" (64mm) x #10 350 4 0367159SS 1750 1 Sand 0367178SS 3" (76mm) x #10 350 4	0367178RS	3" (76mm) x #10	350	4		
0367159SS 1750 1 Sand 0367178SS 3" (76mm) x #10 350 4	0367179RS		1750	1		
0367159SS 1750 1 Sand 0367178SS 3" (76mm) x #10 350 4						637 1817 1617 16
0367178SS 3" (76mm) x #10 350 4	0367158SS	2-1/2" (64mm) x #10	350	4		
	0367159SS	1	1750	1	Sand	
0367179SS 1750 1	0367178SS	3" (76mm) x #10	350	4		
	0367179SS	1	1750	1		
0367158TS 2-1/2" (64mm) x #10 350 4	0367158TS	2-1/2" (64mm) x #10	350	4		
0367159TS 1750 1 Tan	0367159TS	_	1750	1	Tan	
0367178TS 3" (76mm) x #10 350 4	0367178TS	3" (76mm) x #10	350	4		
0367179TS 1750 1	0367179TS	1	1750	1		
						TO SECULIAR
0367158WS 2-1/2" (64mm) x #10 350 4	0367158WS	2-1/2" (64mm) x #10	350	4		1/1/8
0367159WS 1750 1 Winchester	0367159WS		1750	1	Winchester	
0367178WS 3" (76mm) x #10 350 4	0367178WS	3" (76mm) x #10	350	4		
0367179WS 1750 1	0367179WS	1	1750	1		

















COLOR CROSS-REFERENCE GUIDE

	MANUFACTUR		
	PRODUCT	COLOR	CAMO COLOR
	AZEK Deck - Arbor Collection	Acacia	Dark Brown
	AZEK Deck - Arbor Collection	Hazelwood	Ivory (NA)
	AZEK Deck - Arbor Collection	Silver Oak	Mocha
	AZEK Deck - Arbor Collection	Morado	Brown
	AZEK Deck - Arbor Collection	Mountain Redwood	Redwood
	AZEK Deck - Arbor Collection	Brazilian Walnut	Dark Brown
@	AZEK Deck - Harvest Collection	Brownstone	Sand
	AZEK Deck - Harvest Collection	Slate Gray	Stone Grey
AZEK®	AZEK Deck - Harvest Collection	Kona	Dark Brown
◀	AZEK Deck - Harvest Collection	Island Oak	Grey
	AZEK Deck - Harvest Collection	Autumn Chestnut	Winchester
	AZEK Deck - Vintage	Cypress	Cedar
	AZEK Deck – Vintage	Mahogany	Redwood
	AZEK Deck – Vintage	Dark Hickory	Grey
	AZEK Deck - Terra Collection	Sedona	Winchester
	AZEK Deck - Terra Collection	Tahoe	Grey
	EverNew LT Decking	Dune	Sand
	EverNew LT Decking	Greystone	Stone Grey
	EverNew LT Decking	Jatoba	Brown
S	EverNew LT Decking	Saddle	Tan
EverNew®	EverNew LT Decking	Sequoia	Redwood
erl	EverNew LT Decking	Spanish Cedar	Brown
Ь Ш	EverNew PT Decking	Grey	Stone Grey
	EverNew PT Decking	lpe	Brown
	EverNew PT Decking	Rosewood	Brown
	EverNew PT Decking	Castle Grey	Stone Grey
	Fiberon – Symmetry	Burnt Umber	Dark Brown
	Fiberon – Symmetry	Warm Sienna	Tan
	Fiberon – Symmetry	Cinnabar	Redwood
	Fiberon – Symmetry	Graphite	Grey
	Fiberon – Horizon	lpe	Brown
	Fiberon – Horizon	Rosewood	Dark Brown
© □	Fiberon – Horizon	Tudor Brown	Brown
5	Fiberon – Horizon	Castle Grey	Stone Grey
Fiberon®	Fiberon - Paramount	Brownstone	Brown
证	Fiberon - Paramount	Earthstone	Dark Brown
	Fiberon - Paramount	Flagstone	Grey
	Fiberon - Paramount	Sandstone	Stone Grey
	Fiberon - Paramount	Mineral	Stone Grey
	Fiberon - Paramount	Fossil	Sand
	Fiberon - Sanctuary	Earl Grey	Grey
	Fiberon – Sanctuary	Latte	Winchester

FACE FASTENING

	MANUFACTURE		
	PRODUCT	COLOR	CAMO COLOR
	Fiberon - Sanctuary	Expresso	Dark Brown
@ C	Fiberon - Protect	Western Cedar	Redwood
Fiberon®	Fiberon - Protect	Gray Birch	Grey
pe	Fiberon - Protect	Chestnut	Brown
臣	Fiberon - Relax	Barnwood Brown	Brown
	Fiberon - Relax	Front Porch Gray	Gray
	Gossen - Heritage	Canyon Brown	Sand
	Gossen - Heritage	Seaside Sand	Stone Grey
	Gossen - Heritage	Cap Cod Grey	Stone Grey
	Gossen - American Classic	Desert Beige	Sand
@	Gossen - American Classic	Harbor Grey	Stone Grey
e	Gossen - Passport	London Grey	Grey
SS	Gossen - Passport	Moroccan Cedar	Cedar
Gossen®	Gossen - Passport	Spanish Walnut	Brown
	Gossen - Passport	Tuscan Cherry	Redwood
	Gossen - Trailways	Acorn Brown	Sand
	Gossen - Trailways	Summit Grey	Grey
	Gossen - Trailways	Sierra Walnut	Tan
	Gossen - Trailways	Alpine Grey	Stone Grey
@	Latitudes - Capricorn	Arabica	Dark Brown
es	Latitudes - Capricorn	Koa	Redwood
Latitudes®	Latitudes - Intrepid	Cedar	Tan
∄	Latitudes - Intrepid	Gray	Grey
B	Latitudes - Intrepid	Redwood	Redwood
	Latitudes - Intrepid	Walnut	Mocha
	Moistureshield - Essential Collection™	Cape Cod Gray	Grey
	Moistureshield - Essential Collection™	Desert Sand	Tan
	Moistureshield - Essential Collection™	Seasoned Mahogany	Brown
©	Moistureshield - Essential Collection™	TigerWood	Brown
<u> e</u>	Moistureshield - Essential Collection™	Walnut	Brown
Sh	Moistureshield - Vantage Collection™	Cape Cod Gray	Grey
<u>e</u>	$Moistureshield - Vantage\ Collection^{\tiny{TM}}$	Desert Sand	Tan
MoistureShield®	Moistureshield - Vantage Collection™	Seasoned Mahogany	Brown
o is	Moistureshield - Vantage Collection™	TigerWood	Brown
Σ	Moistureshield - Vantage Collection™	Walnut	Brown
	Moistureshield - Vantage Collection™	Earthtone	Winchester
	Moistureshield - Vantage Collection™	Rustic Cedar	Cedar
	EverGrain - Classic	Cape Cod Grey	Grey
	Moistureshield - Vantage Collection™ Moistureshield - Vantage Collection™	Earthtone Rustic Cedar	Winchester Cedar



COMPOSITE COLOR CROSS-REFERENCE GUIDE

	MANUFACTURER		
	PRODUCT	CAMO COLOR	
		COLOR	
	EverGrain - Classic	Cedar	Cedar N/A
<u> </u>	EverGrain - Classic	Forest Green	<u> </u>
Ö	EverGrain - Classic	Redwood	Redwood
Σ	EverGrain - Classic EverGrain - Envision	Weathered Wood	Winchester
TAMKO®		Shaded Auburn	Redwood
-	EverGrain - Envision	Spiced Teak	Brown
	EverGrain - Envision	Rustic Walnut	Dark Brown
	EverGrain - Envision	Greywood	Grey
	TimberTeeh Legacy Collection	Ashwood	Stone Crov
	TimberTech - Legacy Collection	Mocha	Stone Grey
	TimberTech - Legacy Collection	+	NA Dadward
	TimberTech - Legacy Collection	Pecan	Redwood
	TimberTech - Legacy Collection	Tigerwood	Tan
	TimberTech - Legacy Collection	Brown Oak	Brown
ي ي	TimberTech - Legacy Collection	Rustic Elm	Dark Brown
l Se	TimberTech - Legacy Collection	Sandy Birch	Sand
l La	TimberTech - Legacy Collection	Silver Maple	Grey
و	TimberTech - Tropical	Antigua Gold	Brown
TimberTech®	TimberTech - Tropical	Antique Palm	Dark Brown
-	TimberTech - Tropical	Caribbean Redwood	Dark Brown
	TimberTech - Tropical	Amazon Mist	Grey
	TimberTech - Twin Finish	Redwood	Mocha
	TimberTech - Twin Finish	Cedar	Mocha
	TimberTech - Twin Finish	Grey	Stone Grey
	TimberTech - Reliaboard	Cedar	Cedar
		1	
	Trex - Accents	Madiera	Brown
	Trex - Accents	Saddle	Brown
	Trex - Accents	Winchester Grey	Winchester
	Trex - Accents	Woodland Brown	Dark Brown
	Trex - Transcend	Lava Rock	Dark Brown
	Trex - Transcend	Spiced Rum	Brown
@	Trex - Transcend	Tiki Torch	Brown
Ш	Trex - Transcend	Rope Swing	Sand
TREX®	Trex - Transcend	Fire Pit	Brown
	Trex - Transcend	Island Mist	Grey
	Trex - Transcend	Havana Gold	Tan
	Trex - Transcend	Gravel Path	Stone Grey
	Trex - Transcend	Tree House	Brown
	Trex - Transcend	Vintage Lantern	Dark Brown
	Trex - Enhance	Clam Shell	Grey
	Trex - Enhance	Beach Dune	Brown

FACE FASTENING

	MANUFACTU	IRER	
	PRODUCT	COLOR	CAMO COLOR
	Trex - Enhance	Saddle	Brown
	Trex - Select	Madeira	Redwood
TREX®	Trex - Select	Classic White	N/A
	Trex - Select	Saddle	Brown
-	Trex - Select	Winchester Grey	Grey
	Trex - Select	Woodland Brown	Dark Brown
	TUF Board® - Alsek	Acorn	Mocha
	TUF Board® - Alsek	Sage	Winchester
	TUF Board® – Alsek	Sahara	Tan
	TUF Board® – Alsek	Gray	Grey
	TUF Board® - Bellus	Chestnut	Cedar
	TUF Board® - Bellus	Espresso	Dark Brown
	TUF Board® - Bellus	Terra Cotta	Redwood
	TUF Board® - Cierra	Slate	Grey
	TUF Board® - Cierra	Burnished Maple	Mocha
	TUF Board® - Cierra	Ebony	Dark Brown
	TUF Board® - Cierra	Red Cedar	Cedar
	TUF Board® - Cierra	Warm Walnut	Brown
	TUF Board® - Cierra	Sequoia	Redwood
g	TUF Board® - Eco	Cherry - Cedar	Tan
Board	TUF Board® - Eco	Gray Oak - Cedar	Winchester
BC	TUF Board® - Eco	Alder	Mocha
<u> </u>	TUF Board® - Eco	Ash	Cedar
] H	TUF Board® - Eco	Pecan	Cedar
	TUF Board® - Eco	Driftwood - Cedar	Grey
	TUF Board® - Eco	Shady Oak - Cedar	Winchester
	TUF Board® - Kinbo	Black Walnut	Brown
	TUF Board® - Kinbo	Burnished Maple	Brown
	TUF Board® - Kinbo	Hickory	Brown
	TUF Board® - Kinbo	Red Cedar	Cedar
	TUF Board® - Kinbo	Tigerwood	Brown
	TUF Board® - Kinbo	Aged Ipe	Grey
	TUF Board® - Kinbo	Mahogany	Brown
	TUF Board® - Kinbo	Rosewood	Brown
	TUF Board® - Kinbo	Gray Walnut	Winchester
	TUF Board® - Kinbo	Antique Hickory	Mocha
	TUF Board® - Kinbo	Walnut	Brown

CAMO UNIVERSAL DECK CLIP





CAMO Clips are universal hidden fasteners that have incredible versatility to work with most grooved deck boards including Trex®, TimberTech®, AZEK®, Fiberon and many more, delivering a beautiful fastener-free deck top. The black oxide coating and stainless steel construction gives you excellent corrosion resistance. The CAMO Clips Limited Warranty gives you the security to relax and enjoy your deck.

WHAT MAKES THESE CLIPS PERFORM?

 $\mbox{\bf Pre-assembled}$ - For fast, easy installation.


Spacing - 1/4" (6mm) automatic gap.

Star Drive - More points of contact to reduce cam-outs and deliver higher torque.

Serrated Clip Construction - Increased lateral holding power to prevent board creep.

Limited Warranty - CAMO® guarantees against rust and corrosion for the life of the project. We stand by our new and improved warranty. If the deck is installed following manufacturers' installation instructions and our fasteners damage the deck board, we'll replace the board. www.camofasteners.com/warranty

UNIVERSAL DECK CLIP



- Stainless Steel Clip and screw
- 1/4" (6mm) Automatic gap
- Fast and easy installation
- Beautiful, fastener-free surface
- Pre-assembled for easy installation
- 90-degree entry, easy board removal
- Serrated clip edge prevents board creep
- Limited Warranty

SKU#	QTY	CT./MASTER	
0343158	90	4	
0343159	900	1	





STRUCTURAL SCREWS





From deck substructure to landscape timbers, CAMO multi-purpose structural and ledger screws are an easy, code compliant way to replace 3/8" (10mm) and 1/2" (13mm) lag screws.

WHAT MAKES THESE STRUCTURAL SCREWS SECURE?

Independently Tested - Meet or exceed 2012 IRC requirements for 3/8" (10mm) and 1/2" (13mm) lag screws in specific applications.

Versatile - Wide variety of lengths for many structural applications.

Flat Head - Large surface area of the washer-style head provides stronger holding power.

ACQ Compatible - CAMO's proprietary ProTech coating provides three protective layers that pass a 1500 hour salt spray test in accordance with ASTM B117 and guards against corrosion when used with chemically treated wood.

Star Drive - More points of contact to reduce cam-outs and deliver higher torque.


Sharp Point - Enables fast starts and easy drive.

Limited Warranty - CAMO guarantees against rust and corrosion for the life of the project.



STRUCTURAL SCREWS

Multi-Purpose Screws Ledger Screws*



10000 1110

CAMO Power Bit included in 50, 250 and 500ct. packages











ProTech COATED - MULTI-PURPOSE

CVII#	SIZE	OTV	CT /MASTED
SKU#	SIZE	QTY	CT./MASTER
0347150		10	10
0347154	2-1/2" (64mm) x 1/4" (6mm)	50	4
0347159		500	1
0347170		10	10
0347174	3" (76mm)x 1/4" (6mm)	50	4
0347179		500	1
0347190		10	10
0347194	3-1/2" (89mm) x 1/4" (6mm)	50	4
0347199		500	1
0347200		10	10
0347204	4" (102mm) x 1/4" (6mm)	50	4
0347209		250	1
0347220		10	10
0347224	5" (127 mm) x 1/4" (6mm)	50	4
0347229		250	1
0347240		10	10
0347244	6" (152mm) x 1/4" (6mm)	50	4
0347249		250	1
0347260	8" (203mm) x 1/4" (6mm)	10	10
0347269		250	1
0347270	10" (254mm) x 1/4" (6mm)	10	10
0347279		250	1

ProTech COATED - HEAVY DUTY

SKU#	SIZE	QTY	CT./MASTER
0347500		10	10
0347504	4" (102mm) x 5/16" (8mm)	50	4
0347509		250	1
0347540		10	10
0347544	6" (152mm) x 5/16" (8mm)	50	4
0347549		250	1
0347560	8" (203mm) x 5/16" (8mm)	10	10
0347569		250	1



ProTech COATED - LEDGER

SKU#	SIZE	QTY	CT./MASTER
0347490	3-5/8" (92mm) x 5/16" (8mm)	10	10
0347494		50	4
0347520	5" (127mm) x 5/16" (8mm)	10	10
0347524		50	4







Fastener Designation	Head Marking	Overall Length (in)	Length of Thread (in)	Unthreaded Shank Diameter (in)	Minor Thread Root Diameter	Outside Thread Diameter (in)
2-1/2"	CAMO 2.5	2.5	2	0.19	0.156	0.255
3"	CAMO 3	3	2	0.19	0.156	0.255
3-1/2"	CAMO 3.5	3.5	2	0.19	0.156	0.255
4"	CAMO 4	4	2	0.19	0.156	0.255
5"	CAMO 5	5	2	0.19	0.156	0.255
6"	CAMO 6	6	2	0.19	0.156	0.255
7"	CAMO 7	7	2	0.19	0.156	0.255
8"	CAMO 8	8	2	0.19	0.156	0.255
10"	CAMO 10	10	2	0.19	0.156	0.255

Fastener Designation	Head Marking	Overall Length (in)	Length of Thread (in)	Unthreaded Shank Diameter (in)	Minor Thread Root Diameter	Outside Thread Diameter (in)
3.625"	CAMO 3.625	3.625	2	0.212	0.193	0.305
5"	CAMO 5	5	3	0.212	0.193	0.305

ASTM F 606-11a, Standard Test Methods for Determining the Mechanical Properties of Externally and Internally Threaded Fasteners, Washers, Direct Tension Indicators, and Rivets (Single Shear)

ASTM 1575-03 (2008), Standard Test Method for Determining Bending Yelid Moment of Nails (Bending Strength)

ASTM E 8/E8M-11, Standard Test Methods for Tension Testing of Metallic Materials (Tensile Strength)

	Table 4A - CAMO Screws (Lateral Shear Values - Parallel to Grain) .55 specific gravity (SYP)						
Fastener Designation	Fastener Type	Side Member Thickness (in)	Fastener Penetration (in)	Single Shear (two-member) Connection Parallel to Grain (lbs)	Reference Lateral Design Values		
2-1/2"		1.5	1	866	173		
3"] [1.5	1.5	1157	231		
3-1/2"] [1.5	2	1304	261		
4"	Multi-Purpose	1.5	2.5	1368	274		
5"] [1.5	3.5	2289	458		
6"] [1.5	4.5	2460	492		
8"		1.5	6.5	2477	495		
10"		1.5	8.5	1803	361		
3.625"	Ledger	1.5	2.125	1814	363		
5"		1.5	3.5	2048	410		
	A:	STM D 1761-06, Standa	rd Test Methods for Mec	hanical Fasteners in Wood (Lateral Shear)			

	Table 4B - CAMO Screws (Lateral Shear Values - Perpendicular to Grain) .55 specific gravity (SYP)								
Fastener Designation	Fastener Type	Side Member Fastener Single Shear (two-member) Connec- Thickness (in) Penetration (in) tion Parallel to Grain (lbs)		Reference Lateral Design Values					
2-1/2"		1.5	1	1105	221				
3"		1.5	1.5	1765	353				
3-1/2"		1.5	2	1724	345				
4"	Multi-Purpose	1.5	2.5	2002	400				
5"		1.5	3.5	2449	490				
6"		1.5	4.5	2335	467				
8"		1.5	6.5	2792	558				
10"		1.5	8.5	2233	447				
3.625"	Ledger	1.5	2.125	2068	414				
5"		1.5	3.5	2250	450				
	ASTM D 1761-06, Standard Test Methods for Mechanical Fasteners in Wood (Lateral Shear)								

STRUCTURAL

Table	Table 4C - CAMO Screws (Rafter/Truss to Top Plate Uplift) .55 specific gravity (SYP)							
Fastener Designation	Fastener Type	Side Member Thickness (in)	Fastener Penetration (in)	Single Shear (two-member) Connection Parallel to Grain (lbs)				
2-1/2"		2	0.5	841				
3"		2	1	1406				
3-1/2"	Multi-Purpose	2	1.5	1986				
4"		2	2	2129				
5"		2	3	2518				
6"		2	4	2137				
8"		2	6	2002				
10"		2	8	2250				

					Allowable Strength					
Bending Yield Strength (psi) [lbs]		Tensile Strength (psi) [lb]		Single Shear Strength (psi) [lb]		Bending Yield [lb] (psi)	Tensile [[lb] (psi)	Shear [[lb] (psi)
[418]	153,600	[4565]	152,900	[2715]	141,600	153,600	[1520]	50,916	[904]	141,600


					Allowable Steel Strength					
Bending Yield Strength (psi) [lbs]		Tensile Strength (psi) [lb]		Single Shear Strength (psi) [lb]		Bending Yield [lb] (psi)	Tensile [lb] (psi) Shear [lb		lb] (psi)	
[485]	134,600	[5438]	182,100	[3233]	117,100	134,600	[1810]	50,729	[1077]	38,994

Table 2 - CAMO Screws (Direct Withdrawal Values) .55 specific gravity (SYP)							
Fastener Designation	Fastener Type	Length of Thread	Withdrawal Strength (lbs/in)		Design Values (Reduced by safety factor)		
			Dry	Wet	Dry	Wet	
2-1/2"		2	1003	700	201	140	
3"		2	1058	725	212	145	
3-1/2"		2	994	809	119	162	
4"	Multi-Purpose	2	986	918	197	184	
5"		2	1299	945	260	189	
6"		2	1279	1218	256	244	
8"		2	1389	1389	278	278	
10"		2	1195	999	239	200	
3.625"	Ledger	2	1232	940	246	188	
5"		2	1886	1448	377	290	

Table 3 - CAMO Screws (Pull Through Values) .55 specific gravity (SYP)								
Fastener Designation	Fastener Type	Length of Thread	Pull-Through (lbs/in)					
2-1/2"		2	1185					
3"		2	1245					
3-1/2"		2	1201					
4"	Multi-Purpose	2	1219					
5"		2	1511					
6"		2	1316					
8"		2	1286					
10"		2	1331					
3.625"	Ledger	2	1322					
5"		2	1176					
ASTM D 1761-06, St	ASTM D 1761-06, Standard Test Methods for Mechanical Fasteners in Wood (Lateral Shear)							

NATIONAL NAIL

Your brand experience should be special. At National Nail, our brands should make you a *rock star* when it comes to providing product solutions your customers need. The products position you as an innovation leader with new technologies that make builders better at what they do.





Packaged and Bulk Nails

- Framing
- Finish
- Roofing
- Specialty
- Masonry
- Staples
- Decking
- Siding
- Caps

Packaged and Bulk Screws

- Decking
- Drywall
- Multi-Purpose
- Specialty


Collated Fasteners

- Framing
- Roofing
- Finish
- Staples
- Siding
- Metal Connector
- ProjectPac

OUR BRANDS

Our goal is to make you the destination for "asked for" brands and products, and we'll provide you with *Dress for Success* merchandising that brings your customer from the parking lot to the aisle and makes product selection easy.

We want your business to be relevant, profitable, and growing because our brands are part of your story. And that makes your customers' brand experience special too!





Edge Deck Fastening System +

- Marksman Edge
- Marksman Pro Guides
- Edge Deck Screws
- Driver and Pre-Drill Bits

+ Also available for contractors - The Edge Pro™ high-speed, collated edge deck fastening system.

Exterior Screws

- Premium Deck Screws
- Composite Screws
- Structural Screws
- Premium Trim Screws
- Universal Deck Clips

STINGER

Roofing/Sidewall Solutions

- Cap Hammers
- Cap Staplers
- Cap Nailers
- Cap Fasteners (Staples, Collated Nails and Hand Drive Nails)
- Coil Roofing Nails
- Hand Drive Roofing Nails
- Hammer Tackers
- Synthetic Underlayment



WWW.CAMOFASTENERS.COM

MICHIGAN

2964 Clydon Ave SW Grand Rapids, MI 49519 800-968-6245

NEW YORK

5985 Tarbell Rd Syracuse, NY 13206 800-521-1115

GEORGIA

555 Riverside Pkwy, Ste. 100 Austell, GA 30168 877-312-2388

TEXAS

1312 West Crosby Rd Carrollton, TX 75006 877-312-2388

CALIFORNIA

8939 Etiwanda Ave Rancho Cucamonga, CA 91739 800-968-6245



WWW.NATIONALNAIL.COM

REV. 7/17 #0345978