



TABLE of CONTENTS

Timbergrain Fiberglass	. 4
Timberline Fiberglass	.6
Smooth Steel	8.
Stainable Steel	.10
Trugrain™ Steel	.12
Shaker Steel Collection	.14
Wide Steel	.15
Panel Styles	.16
Swing Options	.17
Schlage Hardware	.18
Spotlights Glass	20
Layered Glass	
Textured Glass	
Exclusive Glass Collection	.26
Arlington	28
Greensboro	29
Lennon	.30
Park Place	.31
Classic Glass Collection	32
Majestic	34
Nouveau	
Radiant Hues	38
Destination Glass Collection	.40
Courtyard	.42
Crosswalk	.44
Waterside	.46
Craftsman Glass Collection	.48
Madison	.50
Monterey	.52
Oak Park	54
Topaz	.56
Clear Glass	.58
Internal Grilles	.60
Art & Crafts Grilles	.62
Enclosed Blinds	
Internal Grilles & Blinds	.64
Vent Lites	.65
Simulated Divided Lights	66
Door Opening Specifications	
Size Availability	.68





Taylor is America's doormaker.

Committed to providing a reliable product, Taylor doors are produced using American made components and made by talented craftspeople in the heart of Michigan.

An unwavering commitment to beauty, quality, and value has allowed Taylor Entrance Systems to develop a long history of innovation, bringing numerous products to the market that have helped further shape this industry.

BPI is proud to offer Taylor Entrance Systems as our exterior door provider.

BPI offers doorglass from ODL and Kenyon's Glass.

ODL brings over 70 years of experience and beautiful designs for any home while Kenyon's Glass offers four styles unique to BPI, with endless custom design possibilities.







TIMBERGRAIN FIBERGLASS

Timbergrain doors are constructed of high-resolution grained fiberglass skins. The stronger dimensions offer deeper shadow lines in the panels.

Timbergrain doors can be easily adjusted and aligned with an optional Adjustable Hinge Plate System.

Up and down or side to side adjustments can be made at any time, should the climate or normal settling affect the door opening.

- Engineered not to crack, splinter, warp, rot or delaminate
- The front/back skins are 1/10" thick, which are 25-30% thicker than most competitors
- Advanced polyurethane foam core enhances sound proofing and provides high insulation properties
- 1" composite top and bottom rail offer additional protection against water infiltration, mold, and insects
- 4" full-length hinge and lock stiles
- Square 1/2" Alaskan Yellow Cypress edges give a true wood door appearance and are rot-resistant
- Simulated divided lites in various patterns
- Carries a U-factor of .18
- Limited lifetime warranty








































	Cherry	Mahogany	Oak	냰	Knotty Alder
3PET	••		••		
3PFC					
1PF					
2P34T			•		
6P					
8P					
2PAT					
2PAP					
2P34AT					
2P34AP					
2P34TP					
		SIDELIT	ES		
Full					
1/2					
3/4	••		••		
Craftsman					
1-Panel Craftsman				••	

Available in 6/8 height
 Available in 7/0 height
 Available in 8/0 height

TIMBERLINE FIBERGLASS

Timberline fiberglass doors combine the beauty and elegance of wood with the strength and durability of fiberglass.


Constructed of smooth or textured oak fiberglass reinforced skins that are engineered to last. Fiberglass is unmarred by the wear and tear of everyday use and is unaffected by moisture and humidity.



- Constructed of high-impact materials that are engineered not to splinter, crack, rust, warp, rot or delaminate
- Full-length composite stiles and rails with HydroShield Technology provide a 6-sided protection against water infiltration, mold, and insects
- Carries a U-factor of .17
- Remains flawless with everyday use, and all surfaces are easy to stain, paint and clean
- Fully insulated with an inner core of environmentally friendly polyurethane foam, which provides superior thermal performance and greater energy efficiency
- 25-year limited warranty on Smooth and limited lifetime warranty on Textured

















sh 2-Panel 2-Panel Square 3/4 Top

3-Panel Craftsman

3/4 Oval Premium

ıl 4-Panel n Blank Top

True 4-Panel







Craftsman











SMOOTH STEEL



Smooth steel doors are designed for strength, security and durability.

This premium, insulated door system is constructed with a full steel-edge perimeter and offers a high security rating.

Smooth steel doors are available with an optional Adjustable Hinge Plate System. This allows the homeowner to easily adjust the door with a screwdriver without removing the door from its hinges to achieve a perfect fit.

- Constructed of 24-gauge (or optional 22-gauge) hot-dipped galvanized steel for rust protection and durability
- Fire-rated 20 or 90 minutes
- The baked-on polyester primer accepts exterior grade latex paint
- Carries a U-factor of .17
- Resists cracking, splitting, warping, twisting or rotting
- 4" x 10" composite lock block with a 1" diameter edge bore, and a 2-1/8" diameter face bore at 2-3/4" or 2-3/8" backset
- Limited lifetime warranty for 22-gauge and 10-year warranty for 24-gauge



^{*} Door style is available in 22-gauge steel only

STAINABLE STEEL

Stainable steel doors are constructed with architecturally-correct stiles and rails, with a deeply embossed Oak wood grain surface that is enhanced through the staining process.

These doors are fully insulated with an inner core of polyurethane foam, which provides superior thermal performance and greater energy efficiency.

- Constructed of 22-gauge steel, which is 40% thicker than 25/26 contractor grade slabs
- Full steel-edge perimeter provides additional strength and a Grade 40 security rating
- Special beige primer allows for staining
- 4" x 10" composite lock block with a 1" diameter edge bore, and a 2-1/8" diameter face bore at 2-3/4" or 2-3/8" backset
- Fire-rated 20 or 90 minutes
- Resists denting, cracking, splitting, warping and twisting
- Carries a U-factor of .17
- Adjustable Hinge Plate System
- Limited lifetime warranty





1-Panel HD



2-Panel HD



2-Panel HD Arch Top



2-Panel HD Arch Top Plank



3-Panel HD Craftsman



2-Panel HD Cottage



3-Panel HD



4-Panel Blank Top



True 4-Panel



6-Panel



8-Panel Equal



9-Panel



Full Sidelite



Sidelite



Sidelite



TRUGRAIN™ STEEL



Trugrain[™] is an insulated steel door that combines the look of wood with the strength of steel. It's constructed of 22-gauge hot-dipped galvanized steel with polyester coating, creating a realistic wood grain appearance.

Trugrain[™] steel doors are ideal for light commercial and multi-family applications, both new construction and renovation.

- The polyester coating is extremely durable and is available in four wood grains: Oak, Cherry, Mahogany, and Walnut
- No finishing or maintenance required
- 4" x 10" composite lock block with a 1" diameter edge bore, and a 2-1/8" diameter face bore at 2-3/4" or 2-3/8" backset
- Fire-rated up to 90 minutes
- Carries a U-factor of .17
- Matching vinyl coated wood jambs available – DuraTech-FX™
- Fully insulated with an inner core of environmentally friendly polyurethane foam
- 10-year limited warranty









Cherry Mahogany Oak Walnut









2-Panel Cottage HD



6-Panel HD

SHAKER STEEL COLLECTION







2 Panel Shaker



3 Panel Shaker

Collection Key Features

22 gauge steel

2/8, 2/10, and 3/0 width

6/8 and 7/0 height

Adjustable hinge plate

Steel edge

Can be fire-rated up to 90 minutes

Grade 40 security rating

Polyurethane foam inner core

WIDE STEEL







4 ft. Wide Doors

Wider openings allow for small equipment, motorcycles, lawn mowers and other large items to pass through without requiring an overhead or double door.

Ideal for agricultural building, yard barns, garage service entrances and ADA applications.

Features a durable 22 gauge steel door panel with a wood stile and rail system along with a composite bottom rail.

Available as a flush slab in 6/8 height.

Fully insulated with an inner core of environmentally friendly polyurethane foam.

PANEL STYLES















































	Smooth Steel	Stainable Steel	Trugrain" Steel	Timberline Smooth Fiberglass	Timberline Textured Oak Fiberglass
FL	•••	•••	•••	•••	•
1P	••	•			
2PS	•••	•••	•••	•	
2PAT	•	•			
2PAP	•	•			
2PLC	•	•			
3PET				•	-
3PC	•				
2P34T				•	•
3PFC				•	
3PS					
4PS					
4P34T				•	•
5PS					
4P	•			•	•
6P					
6PC				•	•
8PE					
8P				•	•
9P	••			•	•
FL4G	•				
FL5G	•				
3PSC				•	•
■ Available in	0/01 : 1			o in 7/0 h	

SWING OPTIONS

SINGLE DOOR (INSWING)



SINGLE DOOR (OUTSWING)



PATIO/SINGLE SWING DOUBLE DOOR CENTER HINGE (INSWING)



FIXED/ACTIVE LHIS #5



PATIO/SINGLE SWING DOUBLE DOOR CENTER HINGE (OUTSWING)



PATIO/SINGLE SWING DOUBLE DOOR JAMB HINGE (INSWING)



ACTIVE/FIXED LHIS



FIXED/ACTIVE RHIS #10

PATIO/SINGLE SWING DOUBLE DOOR JAMB HINGE (OUTSWING)



DOUBLE DOOR (INSWING)



ACTIVE/INACTIVE LHIS #13







HARDWARE

KEYPAD ENTRY LOCKS



Camelot Trim Accent Lever



Plymouth Trim Flair Lever



Plymouth Trim Plymouth Lever



Camelot Trim Georgian Lever



Camelot Trim Accent Lever



Plymouth Trim Elan Lever



Plymouth Trim Plymouth Knob

SCHLAGE TOUCH™



Camelot Trim Accent Lever



Camelot Trim Flair Lever



Century Trim Latitude Lever



Century Trim Broadway Lever



Century Trim Merano Lever





RESIDENTIAL HANDLESETS




RESIDENTIAL KNOBS & LEVERS



KEYPAD DEADBOLTS







Spotlights gives you options that make it easier to make your renovation and construction goals. Five doorglass sizes and six glass options give you flexibility to create a unique look that complements the architecture of your home.

CHOOSE A DOOR TYPE

Smooth Steel or Fiberglass, Stainable Steel, Trugrain[™] Steel, or Textured Fiberglass

CHOOSE A CONFIGURATION


























CHOOSE A GLASS STYLE










Clear









Beauty with a surprising twist...

Layered glass takes on a personality of its own as layers of glass interact with one another, with light and with movement. This glass creates dynamic privacy that changes, just as the doorglass patterns do, with light and proximity.

It is subtle beauty with a surprising twist.




Brainstorm





Repartee



	Brainstorm	Repartee
22" x 48" (607)	X	Х
22" x 36" (684)	Х	Х
22" x 64" (686)	Х	Х
8" x 64" (690)	Х	Х
25" x 15-1/4" (814)	Х	Х
8" x 64" (819)	Х	Х
22" x 15-1/4" (866)	Х	Х



















Unique & Modern

The glass options in a our Exclusive Collection cannot be found anywhere else in the Midwest. We have partnered with Kenyon's Glass to develop these unique and custom looks.



ARLINGTON


Arlington is a timeless geometric pattern inspired by complimenting the symmetry to classic and traditional style home. The combination of textured glass and clear bevels creates a high level of privacy.







Matte Black

7inc







	Smooth Steel	Stainable Steel	Trugrain** Steel	Smooth Fiberglass	Timberline Textured Oak Fiberglass	Timbergrain - Cherry	Timbergrain - Mahogany	Timbergrain - Oak	Timbergrain - Fir	Timbergrain - Knotty Alder
422	-	•		-	•					
607	•	•		-	•	-				
684			••							••
686			••	••						
690	•••	•••								
692										
866		•		-						
				SIDELI	TES					
422		-		-	-					
690	••					••		••	••	••
692	••									•
819	••	•	••	••	••				••	

[■] Available in 6/8 height

Available in 7/0 height

GREENSBORO


The Greensboro is a handcrafted Craftsman design with special detail paid to glass types to add a warm welcome to your home. Greensboro offers a medium level of privacy.





Matte Black

Zinc







	Smooth Steel	Stainable Steel	Trugrain" Steel	Smooth Fiberglass	Timberline Textured Oak Fiberglass	Timbergrain - Cherry	Timbergrain - Mahogany	Timbergrain - Oak	Timbergrain - Fir	Timbergrain - Knotty Alder
422	•	•		•	•					
607	•	•		•	•	•				
684										
686	••	••	••	••		••	••	••		
690							••	••		
692						••	••			
866		•		•						
				SIDELI	TES					
422		-		-	-					
690						••	••	••		
692										•
819		•		••						

LENNON

Lennon is a simple privacy glass with geometric design elements to enhance a traditional or modern style home.


The Lennon has a variety of heavily textured glass types that create a high level of privacy.





Matte Black

7inc







	Smooth Steel	Stainable Steel	Trugrain" Steel	Smooth Fiberglass	Timberline Textured Oak Fiberglass	Timbergrain - Cherry	Timbergrain - Mahogany	Timbergrain - Oak	Timbergrain - Fir	Timbergrain - Knotty Alder
422	•	•		•	•					
607	•	•		•	•	•				
684										••
686										
690										
692	••					••	••			
866	••	•		-						
				SIDELI	TES					
422		-		-	-					
690			••				••	••	••	
692			••							•
819		•								

PARK PLACE


Park Place is a modern pattern that comes alive when sunlight strikes it. It has a wide variety of glass types that create a stylish look that will enhance any space. The Park Place has a high level of privacy.






Matte Black

Zinc








	Smooth Steel	Stainable Steel	Trugrain" Steel	Smooth Fiberglass	Timberline Textured Oak Fiberglass	Timbergrain - Cherry	Timbergrain - Mahogany	Timbergrain - Oak	Timbergrain - Fir	Timbergrain - Knotty Alder
422	•	•		•	•					
607	•	•		•	•	•				
684		••		•••			••			
686										
690							••			
866		•		•						
				SIDELI	TES					
422		-		-	-					
690	••	••	••	••		••	••	••	••	••
819		•								










Majestic Nouveau

Radiant Hues

Time-Honored Designs

Styles change, but some things stand the test of time. These timeless designs are rooted in the great traditions of American architecture. Beautiful lines, sophisticated detailing, and deeply cut bevels create an understated ambiance that adds beauty and value to your home.



MAJESTIC

Majestic's formal pattern of bevels and glass, accented with gray shades, is the epitome of Classic design. Choices of brass, nickel, and patina finishes complement your door's hardware.

Majestic provides a medium level of privacy.









Brass

Nickel

Patina










































690D-FL

684-1P

684-1PL

S-422

S-690

S-692

S-694



	Smooth Steel	Stainable Steel	Trugrain" Steel	Smooth Fiberglass	Timberline Textured Oak Fiberglass	Timbergrain - Cherry	Timbergrain - Mahogany	Timbergrain - Oak	Timbergrain - Fir	Timbergrain - Knotty Alder
422D-2P				•	•					
607-1P	•			•	•					
607-1PL										
607-2P										
637-2P				•	•					
640-8P				•	•					
684-2P										
686-FL					•					
692D-2P										
690D-FL										
684-1P	•	•	•••							
684-1PL										
				SID	ELITES					
S-422	•••				•	•••		••		
S-690						••	••	••	••	
S-692			•	•	•		••	••		•
S-694			•		•					

NOUVEAU

Nouveau places a brilliant bevel cluster at its center and frames it with a Classic bevel and translucent glass design.
Complement your door hardware or home colors with a choice of brass, nickel or patina finish. Nouveau offers a medium level of privacy.








Brass

Nickel

Patina









































S-422







S-690 S-692 S-694




	Smooth Steel	Stainable Steel	Trugrain™ Steel	Smooth Fiberglass	Timberline Textured Oak Fiberglass	Timbergrain - Cherry	Timbergrain - Mahogany	Timbergrain - Oak	Timbergrain - Fir	Timbergrain - Knotty Alder
422D-2P				-	•					
607-1P	•			-	•					
607-1PL										
607-2P					•					
637-2P				-	•					
640-8P				-	•					
659-4P				-	•					
684-2P										
686-FL					•					
692D-2P										
690D-FL										
919-FL										
949-3PET										
684-1P	•	•								
684-1PL										
949-3PSC				•	•					
				SID	ELITES					
S-422				•		•••				
S-690						••				••
S-692			•	•	•	••				•
S-694			•	•	•					

RADIANT HUES

Radiant Hues appeals to your appreciation for both striking and subtle design. Geometric grids, beveled prisms, and a nickel finish give your entryway a contemporary and quiet elegance. Radiant Hues has a low privacy level.



Nickel





































690D-FL

949-2P34T

949-2P34AT

949-3PET

684-1P

684-1PL







S-422







S-694




	Smooth Steel	Stainable Steel	Trugrain" Steel	Smooth Fiberglass	Timberline Textured Oak Fiberglass	Timbergrain - Cherry	Timbergrain - Mahogany	Timbergrain - Oak	Timbergrain - Fir	Timbergrain - Knotty Alder
422D-2P				•	•					
607-1P	•			•	•					
607-1PL										
607-2P										
632-7P										
684-2P										
686-FL										
692D-2P										
690D-FL										
949-2P34T										
949-2P34AT										
949-3PET										
684-1P	•	•								
684-1PL										
949-3PSC				•	•					
				SIDI	ELITES					
S-422	•••			•	••	•••	••	••		
S-690						••	••			••
S-692			•	•	•	••	••			•
S-694			•	•						

Available in 7/0 height









Crosswalk

Waterside

Rustic & Elegant

The Destination Collection is inspired by artisans who truly appreciate beauty in objects for everday use. Deep bevels, graceful contours, and scrolling grilles and caming lend a feeling of handcrafted antiquity to these designs and an air of gracious hospitality to your home.




COURTYARD

Wrought iron designs are as current today as they were 100 years ago. The pronounced fretwork of Courtyard creates a look that is both strong and subtle. Courtyard offers a high privacy level.


Caming Options



Bronze Vein Wrought Iron














	Smooth Steel	Stainable Steel	Trugrain" Steel	Smooth Fiberglass	Timberline Textured Oak Fiberglass	Timbergrain - Cherry	Timbergrain - Mahogany	Timbergrain - Oak	Timbergrain - Fir	Timbergrain - Knotty Alder
422D-2P				•	•					
607-1P	•			•	•					
607-1PL										
607-2P										
684-2P										
686-FL										
687-FL										
690D-FL										
692D-2P		••					•			
866-3PC				•	•					
866-2PFC				-						
866-2PC		•								
866-1PLC	•	•								
684-1P	•	•								
684-1PL										
				SID	ELITES					
S-422	•••					•••		••		
S-690			•	•	•	••			••	
S-692	••		•	•	•	••		••		•
S-819			•	•	•					

CROSSWALK

Modern design comes to life through strong linear lines interrupted by bold pops of gray glass. Crosswalk's look is abstract, modern, and stylish. Crosswalk offers a high privacy level.



Nickel









































684-1P

684-1PL

S-422

S-690




	Smooth Steel	Stainable Steel	Trugrain™ Steel	Smooth Fiberglass	Timberline Textured Oak Fiberglass	Timbergrain - Cherry	Timbergrain - Mahogany	Timbergrain - Oak	Timbergrain - Fir	Timbergrain - Knotty Alder
422D-2P				•	•					
607-1P	•			•	•					
607-1PL										
607-2P										
684-2P								••		
686-FL	•••									
690D-FL	•••				••					
692D-2P		••	••		••			••		
866-3PC				-	-					
866-2PFC				-						
866-2PC		•								
866-1PLC	•	•	••							
684-1P	•	•								
684-1PL										
				SID	ELITES					
S-422	•••			••		•••	••			
S-690		••	•	•	•			••		
S-692			•	•	•					•
S-694			•	•	•					

WATERSIDE

Natural, free-flowing movement extends the length of Waterside and brings to mind a flowing river or grasses swaying in the breeze. Waterside offers a high privacy level.



Black Chrome





































	Smooth Steel	Stainable Steel	Trugrain" Steel	Smooth Fiberglass	Timberline Textured Oak Fiberglass	Timbergrain - Cherry	Timbergrain - Mahogany	Timbergrain - Oak	Timbergrain - Fir	Timbergrain - Knotty Alder
422D-2P				•	•					
607-1P	•			•	•	•••		••		
607-1PL										
607-2P				•	•					
684-2P		•••		•••			••			
686-FL					•					
687-FL										
690D-FL										
692D-2P					••		••			
684-1P	•	•		•						
684-1PL										
				SID	ELITES					
S-422				••	••		••			
S-690			-	•	•					
S-692	••		•	•	•	••	••	••		•

Door Code: 686-FL Door Type: Textured Oak Glass Type: Monterey



CRAFTSMAN COLLECTION



Inspired by Nature

Simple designs inspired by nature are the hallmarks of the Craftsman style. These beautiful geometric designs cast intricate patterns of sunlight into the interior spaces of your entryway. The Craftsman collection beautifully blends the finishes inside and outside of the home.




MADISON

Renowned Craftsman architect Frank
Lloyd Wright advocated that architecture
should become one with its surrounding
landscape. The Craftsman-inspired
design of Madison's geometric pattern
and its nickel vein wrought iron finish
will fit the "landscape" of your home
and complement the special touches
you've given it. Madison provides
a high privacy level.

Caming Options



Nickel Vein Wrought Iron










































					so.					
	Smooth Steel	Stainable Steel	Trugrain" Steel	Smooth Fiberglass	Timberline Textured Oak Fiberglass	Timbergrain - Cherry	Timbergrain - Mahogany	Timbergrain - Oak	Timbergrain - Fir	Timbergrain - Knotty Alder
422D-2P				•	•					
607-1P				•	•					
607-1PL										
607-2P										
684-2P	-	-	-	-	-					
686-FL										
690D-FL										
866-3PC				•	•					
866-2PFC				•						
866-2PC	•	•								
866-1PLC	•	•								
684-1P			-	-						-
684-1PL										-
				SID	ELITES					
S-422		•••			•					
S-690										••
S-694	•••	•••	•	•	•					

MONTEREY


Monterey offers Craftsman design elements and a bit of modern style to your home's entrance. Clear bevels provide visibility, yet the translucent, textured glass offers a high privacy level. Patina and satin nickel give you finish options to complement your door hardware.





Satin Nickel

Patina





































	Smooth Steel	Stainable Steel	Trugrain™ Steel	Smooth Fiberglass	Timberline Textured Oak Fiberglass	Timbergrain - Cherry	Timbergrain - Mahogany	Timbergrain - Oak	Timbergrain - Fir	Timbergrain - Knotty Alder
422D-2P				•	•					
607-1P	•			•	•					
607-1PL										
607-2P										
684-2P										
686-FL					•					
690D-FL										
866-3PC				•	•					
866-2PFC				•						
866-2PC	•	•								
866-1PLC	•	•								
684-1P		•								
684-1PL										
				SID	ELITES					
S-422					•		••	••		
S-690							••	••	••	
S-694			-	•	-					
S-819			•	•	•					

OAK PARK

When you think Craftsman style, you're thinking Oak Park. A patina finish and handcrafted, textured glass create a striking geometric pattern reminiscent of Arts and Crafts design. Four glass types create a bright entryway and medium privacy level.



Patina


















































	Smooth Steel	Stainable Steel	Trugrain™ Steel	Smooth Fiberglass	Timberline Textured Oak Fiberglass	Timbergrain - Cherry	Timbergrain - Mahogany	Timbergrain - Oak	Timbergrain - Fir	Timbergrain - Knotty Alder
422D-2P				•	•					
607-1P	•			•	•					
607-1PL										
607-2P										
684-2P										
686-FL					•					
692D-2P										
690D-FL										
866-3PC				•	•					
866-2PFC				•						
866-2PC	•	•								
866-1PLC	•	•								
684-1P	•	•		•						
684-1PL										
				SID	ELITES					
S-422	•••			•				••		
S-690								••		
S-692	••		•	•	•			••		•
S-694			•	••						
S-819	••		•	•	•					


- Available in 7/0 height
- Available in 8/0 height

TOPAZ

If you appreciate attention to detail, you'll like Topaz's subtle pops of color, focal bevel cluster, and patina finish. These "jewels" combine to create a Craftsman style doorglass that adds beauty to your home's entryway and a high level of privacy.




Patina









CLEAR GLASS

If you want the view and nothing but the view, Clear Glass is your answer. It is an option that works equally well from your entry door to your patio door.


- Available in many shapes and sizes to complement any home style
- Rain glass option offers a high level of privacy for your home

OPEN WIDER

- 4 foot wide steel doors are now available with 22" x 36" clear glass
- Ideal for agricultural buildings, yard barns and garage service entrances
- 22-gauge steel flush slab in 6'8" height

SIDELITES







684-FL Clear, Rain or Low-E



696-FL Clear



696DI-FL Clear



607-2P Clear, Rain or Low-E



686-FL Clear, Rain or Low-E



684-1P Clear, Rain or Low-E



684-1PL Clear or Low-E



422D-2P Clear, Rain or Low-E



684-4PCB Clear, Rain or Low-E



684-2P Clear, Rain or Low-E



680-4P Clear, Rain or Low-E



692D-2P Clear, Rain or Low-E



637-4P Clear, Rain or Low-E



919-FL Clear, Rain or Low-E



640-8P Clear, Rain or Low-E



949-3PET Clear, Rain or Low-E



690-FL5G Clear, Rain or Low-E



607-1P Clear, Rain or Low-E



814-3PC Clear, Rain or Low-E



866-2PFC Clear



866-2PC Clear, Rain or Low-E



866-1PLC Clear, Rain or Low-E



949-3PSC Clear, Rain or Low-E

	Smooth Steel	Stainable Steel	Trugrain" Steel	Timberline Smooth Fiberglass	Timberline Textured Oak Fiberglass
684-FL					
696-FL		••		•	
696DI-FL				•	
607-2P				•	
686-FL					
684-1P	•	•		•	
684-1PL	•	•			
422D-2P				•	•
684-4PCB					
684-2P				•••	
680-4P				•	
692D-2P	••	••		••	••
637-4P	••	••		•	•
919-FL	••	••			
640-8P				•	•
949-3PET					
694-FL5G	•				
607-1P				•	-
814-3PC				•	-
866-2PFC				•	
866-2PC		•			
866-1PLC	•	•			
949-3PSC				•	-
		SIDELI	TES		
S-680	••	••			
S-692	••	••	•	•	•
S-422				•	•
S-694			•	••	•
S-819	••	••	•	•	•

■ Available in 6/8 height ■ Available in 7/0 height ■ Available in 8/0 height

INTERNAL GRILLES

Add a bold look to your home with grille patterns in your entry or patio doors, sidelites and transoms.

Choose from numerous patterns to fit your home's architectural style.

- 5/8" wide muntin bars are installed between two panes of insulating glass
- Easy to clean
- Available in White, Tan, Champagne and Bronze, and now colonial is also available in Black and Two-Tone Bronze/White
- Choose from traditional or prairie style configurations; other configurations available by request





607-12L-2P Clear or Low-E



687-10L-FL Clear or Low-E



686-15L-FL Clear or Low-E



694D-5L-FL Clear or Low-E



684-9L-1P Clear or Low-E



684-9L-4PCB Clear or Low-E



684-9L-2P Clear or Low-E



692D-3L-2P Clear or Low-E



659-5L-4P Clear or Low-E



637-11L-2P Clear or Low-E



686-15L-FL Clear or Low-E



684-9LP-1P Clear or Low-E



684-9LP-2P Clear or Low-E



692D-6LP-2P Clear or Low-E



	Smooth Steel	Stainable Steel	Trugrain" Steel	Timberline Smooth Fiberglass	Timberline Textured Oak Fiberglass
607-12L-2P				•	•
687-10L-FL					•
686-15L-FL					•
694D-5L-FL					
684-9L-1P	•	•		•	
684-9L-4PCB					
684-9L-2P					
692D-3L-2P					
659-5L-4P				•	•
637-11L-2P				•	•
Pi	RAIRIE S	TYLE GI	RILLES		
686-9LP-FL					•
684-9LP-1P	•	•		•	
684-9LP-2P					
692D-6LP-2P					
	SIE	DELITES			
S-694-5L				-	•
S-692-3L				•	•
S-422-4L				•	•
S-819-5L			•	•	•
S-694-6LP				•	•
S-692-6LP				•	•
S-819P-6LP			•	-	•

Available in 6/8 heightAvailable in 7/0 height

ARTS & CRAFTS GRILLES

Complement the architectural style of your home or express your appreciation for a natural approach to design. Arts & Crafts grilles' simple three and four light patterns are available for doors and sidelites.

- 5/8" internal grille
- Low-E glass to maximum energy efficiency
- Available in White















684-3L-2P

684-4L-2P







Available in 6/8	height		Available	in 7/0 heigh	t
	Available	in 8/0	height		

SIDELITES

Smooth Steel

607-3L-2P34T 607-4L-2P34T

684-3L-2P

684-4L-2P

686-3L-FL

686-4L-FL

S-694-3L

Timberline Textured Oak Fiberglass

Timberline Smooth Fiberglass

ENCLOSED BLINDS

Fully enclosed blinds give you a maintenance-free option for controlling levels of doorglass privacy. A single fingertip control lets you raise, lower or tilt the blinds.

- Privacy channels on each side eliminate light gaps when blinds are closed - no street light shadows or sunlight glare
- Uniform color in components provides a clean aesthetic look
- Available with Low-E glass option
























686-FL

	Smooth Steel	Stainable Steel	Trugrain" Steel	Timberline Smooth Fiberglass	Timberline Textured Oak Fiberglass
607-2P	•••	•••		••	
684-2P					•••
686-FL					•
692D-2P					
684-1P					
	SIE	ELITES			
S-692				•	•
S-690		••		•	•

INTERNAL GRILLES & BLINDS

This energy efficient glass offers privacy and light control, and the charm of contoured door grilles. The triple-glazed glass suppresses traffic sounds and other unwelcome noises.

- You control the amount of privacy and light coming into your home with a fingertip control - raise, lower, and tilt the blind
- Triple-glazed design reduces heat transmission by up to 28%
- Available in White
- Available with Low-E glass option
- Glass frame is paintable only















■ Available in 6/8 height ■ Available in 7/0 height Available in 8/0 height

VENT LITES

Use vented doors for a boost of fresh air in workshops, garages, or your home.

Ten adjustments allow you to control the flow of air.

- Durable UV-resistant molded frame
- · Removable screen for easy cleaning
- Glass frame is White and is not paintable or stainable
- Select from clear doorglass or Perspectives Collection Rain Glass
- Available with Low-E glass option





799-FL Clear, Rain or Low-E



799-1P Clear, Rain or Low-E



Clear, Rain or Low-E



799-12L-2P Clear, Rain or Low-E





	Smooth Steel	Stainable Steel	Timberline Smooth Fiberglass	Timberline Textured Oak Fiberglass
799-FL		•		
799-1P		•		••
799-2P		•	••	••
799-12L-2P			••	

Available in 6/8 height
 Available in 7/0 height
 Available in 8/0 height

SIMULATED DIVIDED LIGHT








Elegance takes on traditional divided doorlight...

The look of a true divided light, with the energy efficiency of a single light.

A mill finish grille between glass, and backing strips for a true wood muntin appearance.







Rain Baroque

DOOR OPENING SPECIFICATIONS


Description		ame Width ize		tud Rough Minimum		imension Brickmold)	Width Dimension (Outside Flat Casing)			
pening Dimensions for	Single, Double	& Patio Door	rs							
2'6" Single Door	31-	1/2"	32-	1/2"	3	4"	36-3/4"			
2'8" Single Door	33-	1/2"	34-	1/2"	3	6"	38-3/4"			
2'10" Single Door	35-	1/2"	36-	1/2"	3	8"	40-	3/4"		
3'0" Single Door	37-	1/2"	38-	1/2"	4	0"	42-	3/4"		
3'6" Single Door	43-	1/2"	44-	1/2"	4	6"	48-	3/4"		
4'0" Single Door	49-	1/2"	50-	1/2"	5	2"	54-	3/4"		
5'0" Double Door	6	2"	6	3"	64-	1/2"	67-	1/4"		
5'4" Double Door	6	6"	6	7"	68-	1/2"	71-	1/4"		
5'4" Patio Door	6	7"	6	8"	69-	1/2"	72-	72-1/4"		
6'0" Double Door	7	4"	7	5"	76-	1/2"	79-1/4"			
6'0" Patio Door	7	5"	7	6"	77-	1/2"	80-	1/4"		
pening Dimensions for	Door(s) with F	ixed Sidelites	s or Direct Se	t Glass						
Sidelite Size	12"	14"	12"	14"	12"	14"	12"	14"		
2'6" Single Door with 1 Sidelite	45"	47"	46"	48"	47-1/2"	49-1/2"	50-1/4"	52-1/4'		
2'8" Single Door with 1 Sidelite	47"	49"	48"	50"	49-1/2"	51-1/2"	52-1/4"	54-1/4'		
2'10" Single Door with 1 Sidelite	49"	51"	50"	52"	51-1/2"	53-1/2"	54-1/4"	56-1/4		
3'0" Single Door with 1 Sidelite	51"	53"	52"	54"	53-1/2"	55-1/2"	56-1/4"	58-1/2		
5'4" Double Door with 1 Sidelite	79-1/2"	81-1/2"	80-1/2"	82-1/2"	82"	84"	84-3/4"	86-3/4		
6'0" Double Door with 1 Sidelite	87-1/2"	89-1/2"	88-1/2"	90-1/2"	90"	92"	91-3/4"	94-3/4		
2'6" Single Door with 2 Sidelites	58-1/2"	62-1/2"	59-1/2"	63-1/2"	61"	65"	63-3/4"	67-3/4		
2'8" Single Door with 2 Sidelites	60-1/2"	64-1/2"	61-1/2"	65-1/2"	63"	67"	65-3/4"	69-3/4		
2'10" Single Door with 2 Sidelites	62-1/2"	66-1/2"	63-1/2"	67-1/2"	65"	69"	67-3/4"	71-3/4		
3'0" Single Door with 2 Sidelites	64-1/2"	68-1/2"	65-1/2"	69-1/2"	67"	71"	69-3/4"	73-3/4		
5'4" Double Door with 2 Sidelites	93"	97"	94"	98"	95-1/2"	99-1/2"	98-1/4"	102-1/4		

Actual Frame	Height / UDH (R Height)	ough Opening									
6'8"	7'0"	8'0"									
Un	its with Standard	Sill									
81-3/4" UDH (82" RO) Inswing	85-3/4" UDH (86" RO) Inswing	97-3/4" UDH (98" R0) Inswing									
81-1/4" UDH (81-1/2" RO) Outswing	85-1/4" UDH (85-1/2" RO) Outswing	97-1/4" UDH (97-1/2" RO) Outswing									
Inswing	97-3/4" UDH (98" RO)	50-1/2"									
Units with ADA Sill											
80-3/4" UDH (81" R0)	84-3/4" UDH (85" R0)	96-3/4" UDH (97" RO)									
Inswing or Outswing	Inswing or Outswing	Inswing or Outswing									
81" UDH (81- 1/4" R0)	85" UDH (85- 1/4" R0)	97" UDH (97- 1/4" RO)									
Clad Outswing	Clad Outswing	Clad Outswing									
m	NOTE: le brickmold heighore than RO heigh	nt.									
m	ore than RO heigh	nt.									

Rough Open	ing (stud to stud) f outswing doors	or inswing &					
Transom Type	Rough Open- ing Heights	Unit Size					
TR-98	102-5/8"	102-3/8"					
TR-97	102-5/8"	102-3/8"					
TR-92	102-5/8"	102-3/8"					
TR-89/90/94	97-3/4"	97-1/4"					
TR-96/99	93-3/4"	93-1/4"					
TR-91	93-3/4"	93-1/4"					
TR-95	varies	varies					
TR-93	varies	varies					

Transom Rough Openings

NOTE: For ALUMINUM CLAD OUTSWING units, add 1/4" to width dimension shown. For MASONRY CONSTRUCTION, add 1/4" to outside brickmold dimensions shown. For PRIMED WOOD OUTSWING UNITS, add 5/8" to outside brickmold width. For DOUBLE OUTSWING UNITS, add 1/4" to unit dimension widths shown.



	Opening Dimensi	ions for Single R	emodeler Units											
	Fits these existing openings													
Size (nominal)	'A' W	/idths	'B', 'C'	Heights										
(Min.	Max.	Min.	Max.										
2'5" x 6'7" Single Door	29-5/8"	30-1/2"	80"	80-1/2"										
2'7" x 6'7" Single Door	31-5/8"	32-1/2"	80"	80-1/2"										
2'9" x 6'7" S ingle Door	33-5/8"	34-1/2"	80"	80-1/2"										
2'11" x 6'7" Single Door	35-5/8"	36-1/2"	80"	80-1/2"										

SIZE AVAILABILITY

				6/	8 HEIGH	rs					7.	O HEIGH	TS		8/0 HEIGHTS					
STEEL	2/0	2/4	2/6	2/8	2/10	3/0	3/4	3/6	4/0	2/6	2/8	2/10	3/0	3/6	2/6	2/8	2/10	3/0	3/6	
Flush	S, SS	S, SS	S, SS	S, SS, TG	S, SS, TG	S, SS, TG	S	S	S	S, SS	S, SS, TG	S, SS, TG	S, SS, TG	S	S, SS	S, SS, TG	S, SS, TG	S, SS, TG		
1-Panel				S, SS	S, SS	S, SS														
2-Panel				S, SS, TG	S, SS, TG	S, SS, TG					S, TG	S, TG	S, TG			S, SS, TG	S, SS, TG	S, SS, TG		
2-Panel Arch Top				S, SS	S, SS	S, SS														
2-Panel Arch Top Plank				S, SS	S, SS	S, SS														
Cottage Style				S, SS, TG	S, SS, TG	S, SS, TG					TG	TG	TG							
3/4 3-Panel	Ì			S, SS	S, SS	S, SS					S, SS	S, SS	S, SS							
3/4 2-Panel				S	S	S					S	S	S							
3-Panel Craftsman				S, SS	S, SS	S, SS					SS	SS	SS							
3-Panel Shaker				S	S	S														
3-Panel Contemporary				S	S	S														
1-Panel Shaker Flat	Ì			S	S	S					S	S	S							
2-Panel Shaker Flat	Ì			S	S	S					S	S	S							
3-Panel Shaker Flat				S	S	S					S	S	S							
4-Panel Shaker				S	S	S														
5-Panel Shaker				S	S	S					S	s	S							
Crossbuck Panel			S	S, SS	S, SS	S, SS				S	S	s	S							
4-Panel Blank Top			S, SS	S, SS	S, SS	S, SS				S, SS	S, SS	S, SS	S, SS							
True 4-Panel			S, SS	S, SS	S, SS	S, SS				S, SS	S, SS	S, SS	S, SS							
6-Panel			S, SS	S, SS, TG	S, SS, TG	S, SS, TG	S	s		S, SS	S, SS, TG	S, SS, TG	S, SS, TG		s	S, SS, TG	S, SS, TG	S, SS, TG		
8-Panel				S, SS	S, SS	S, SS					S, SS	S, SS	S, SS							
9-Panel				S, SS	S, SS	S, SS					S, SS	S, SS	S, SS							
Flush 4-Groove					S	S														
Flush 5-Groove					S	S														


 $\textbf{NOTE:} \ S = Smooth \ Steel, \ SS = Stainable \ Steel, \ TG = Trugrain^{\text{\tiny{TM}}} \ Steel$

TIMBERLINE				6/	8 HEIGH	rs					7/	O HEIGH	rs		8/0 HEIGHTS					
FIBERGLASS	2/0	2/4	2/6	2/8	2/10	3/0	3/4	3/6	4/0	2/6	2/8	2/10	3/0	3/6	2/6	2/8	2/10	3/0	3/6	
Flush	SF, TF		SF, TF	SF, TF	SF, TF	SF, TF		SF, TF		SF, TF	SF, TF	SF, TF	SF, TF	SF, TF						
2-Panel				SF	SF	SF									SF	SF	SF			
2-Panel Arch Top				SF	SF	SF									SF	SF	SF			
3/4 2-Panel				SF, TF	SF, TF	SF, TF														
3-Panel Craftsman				SF	SF	SF														
4-Panel Blank Top				SF, TF	SF, TF	SF, TF														
3/4 4-Panel				SF, TF		SF, TF														
True 4-Panel				SF, TF	SF, TF	SF, TF				SF, TF	SF, TF	SF, TF			SF, TF		SF, TF			
6-Panel			SF, TF	SF, TF	SF, TF	SF, TF				SF, TF	SF, TF	SF, TF		SF, TF	SF, TF		SF, TF	TF		
6-Panel Craftsman						SF, TF														
8-Panel Center Arch						SF, TF											SF, TF	SF, TF		
9-Panel				SF, TF		SF, TF														
3-Panel Premium						SF, TF									SF, TF		SF, TF	SF		

NOTE: SF = Smooth Fiberglass, TF = Textured Fiberglass

TIMBERGRAIN				6/	8 HEIGH	TS				7.	O HEIGH	rs		8/0 HEIGHTS					
FIBERGLASS	2/0	2/4	2/6	2/8	2/10	3/0	3/4	3/6	4/0	2/6	2/8	2/10	3/0	3/6	2/6	2/8	2/10	3/0	3/6
Flush				С	С	С		С		С	С	С	С		С	С	С	С	
2-Panel																		С	
2-Panel Wide Plank																		С	
2-Panel Narrow Plank																		С	
2-Panel Arch Top				К	К	К				К	К	К			К	К	К		
2-Panel Arch Top Plank				К	К	К				К	К	К			К	К	К		
3/4 3-Panel				C, M, 0	C, M, 0	C, M, 0				C, M, 0	C, M, 0	C, M, 0							
3-Panel Craftsman					F	F					F	F							
3/4 2-Panel				C, 0	C, 0	C, 0				C, 0	C, 0	C, 0							
3/4 2-Panel Plank				C, 0	C, 0	C, 0				C, 0	C, 0	C, 0							
3/4 2-Panel Arch Top				С	С	С				С	С	С			С	С	С		
3/4 2-Panel Arch Top Plank				С	С	С				С	С	С			С	С	С		
6-Panel				C, M, 0	C, M, 0	C, M, 0				C, M, 0	C, M, 0	C, M, 0							
8-Panel Center Arch					C, 0	C, 0					C, 0	C, 0							

 $\textbf{NOTE:} \ C = Cherry \ Grain, \ F = Fir \ Grain, \ K = Knotty \ Alder \ Grain, \ M = Mahogany \ Grain, \ O = Oak \ Grain$



NOTES

NOTES





BPI reserves the right to change the product features and specifications without prior notice. ©2019 Building Products Inc.