

EXTERIOR DOORS



TRUSTED TEAM - TRUSTED NAME - TRUSTED RESULTS
Since 1957

BPI

TABLE of CONTENTS

Timbergrain Fiberglass.....	4
Timberline Fiberglass.....	6
Smooth Steel.....	8
Stainable Steel.....	10
Trugrain™ Steel.....	12
Shaker Steel Collection.....	14
Wide Steel.....	15
TruKote Collection.....	16
Quikfit Fitted Door System.....	17
Panel Styles.....	18
Swing Options.....	19
Schlage Hardware.....	20
Spotlights Glass.....	22
Layered Glass.....	24
Textured Glass.....	26
Exclusive Glass Collection.....	28
Arlington.....	30
Greensboro.....	31
Lennon.....	32
Park Place.....	33
Classic Glass Collection.....	34
Majestic.....	36
Nouveau.....	38
Radiant Hues.....	40
Destination Glass Collection.....	42
Courtyard.....	44
Crosswalk.....	46
Waterside.....	48
Craftsman Glass Collection.....	50
Madison.....	52
Monterey.....	54
Oak Park.....	56
Topaz.....	58
Clear Glass.....	60
Internal Grilles.....	62
Art & Crafts Grilles.....	64
Enclosed Blinds.....	65
Internal Grilles & Blinds.....	66
Vent Lites.....	67
Simulated Divided Lights.....	68
Door Opening Specifications.....	69
Size Availability.....	70



Door Code: 607-9SDL-2P
Door Type: Textured Oak
Glass Type: Rain



Taylor is America's doormaker. Committed to providing a reliable product, Taylor doors are produced using American made components and made by talented craftspeople in the heart of Michigan. An unwavering commitment to beauty, quality, and value has allowed Taylor Entrance Systems to develop a long history of innovation, bringing numerous products to the market that have helped further shape this industry. BPI is proud to offer Taylor Entrance Systems as our exterior door provider.

BPI offers doorglass from ODL and Kenyon's Glass. ODL brings over 70 years of experience and beautiful designs for any home while Kenyon's Glass offers four styles unique to BPI, with endless custom design possibilities.



Door Code: FL4G
Door Type: Smooth Steel
Glass Type: Rain

TIMBERGRAIN FIBERGLASS

Timbergrain doors are constructed of high-resolution grained fiberglass skins. The stronger dimensions offer deeper shadow lines in the panels.


Timbergrain doors can be easily adjusted and aligned with an optional Adjustable Hinge Plate System.

Up and down or side to side adjustments can be made at any time, should the climate or normal settling affect the door opening.



Key Features

- Engineered not to crack, splinter, warp, rot or delaminate
- The front/back skins are 1/10" thick, which are 25-30% thicker than most competitors
- Advanced polyurethane foam core enhances sound proofing and provides high insulation properties
- 1" composite top and bottom rail offer additional protection against water infiltration, mold, and insects
- 4" full-length hinge and lock stiles
- Square 1/2" Alaskan Yellow Cypress edges give a true wood door appearance and are rot-resistant
- Simulated divided lites in various patterns
- Carries a U-factor of .18
- Limited lifetime warranty



	Cherry	Mahogany	Oak	Fir	Knotty Alder
Flush	■ ■ ■				
3PET	■ ■ ■	■ ■ ■	■ ■ ■		
3PFC				■ ■ ■	
1PF				■ ■ ■	
2P34T	■ ■ ■		■ ■ ■		
6P	■ ■ ■	■ ■ ■	■ ■ ■		
8P	■ ■ ■		■ ■ ■		
2PAT					■ ■ ■
2PAP					■ ■ ■
2P34AT	■ ■ ■				
2P34AP	■ ■ ■				
2P34TP	■ ■ ■		■ ■ ■		
SIDELITES					
Full	■ ■ ■	■ ■ ■	■ ■ ■		■ ■ ■
1/2	■ ■ ■	■ ■ ■	■ ■ ■		
3/4	■ ■ ■	■ ■ ■	■ ■ ■		
Craftsman				■ ■ ■	
1-Panel Craftsman				■ ■ ■	

■ Available in 6/8 height
 ■ Available in 7/0 height ■ Available in 8/0 height

TIMBERLINE FIBERGLASS

Timberline fiberglass doors combine the beauty and elegance of wood with the strength and durability of fiberglass.

Constructed of smooth or textured oak fiberglass reinforced skins that are engineered to last. Fiberglass is unmarred by the wear and tear of everyday use and is unaffected by moisture and humidity.



Key Features

- Constructed of high-impact materials that are engineered not to splinter, crack, rust, warp, rot or delaminate
- Full-length composite stiles and rails with HydroShield Technology provide a 6-sided protection against water infiltration, mold, and insects
- Carries a U-factor of .17
- Remains flawless with everyday use, and all surfaces are easy to stain, paint and clean
- Fully insulated with an inner core of environmentally friendly polyurethane foam, which provides superior thermal performance and greater energy efficiency
- 25-year limited warranty on Smooth and limited lifetime warranty on Textured



Door Code: 607-2P
Door Type: Timbergrain Mahogany
Glass Type: Nouveau



Flush 2-Panel 2-Panel Square 3/4 Top 3-Panel Craftsman 3/4 Oval Premium 4-Panel Blank Top True 4-Panel

3/4 4-Panel 6-Panel 6-Panel Craftsman 9-Panel Flush Sidelite 3/4 Oval Sidelite 3/4 Sidelite 1-Panel Sidelite



Door Code: 686-FL
Door Type: Textured Oak
Glass Type: Rain

SMOOTH STEEL




Door Code: FL4G
 Door Type: Smooth Steel
 Glass Type: Blanca

Smooth steel doors are designed for strength, security and durability. This premium, insulated door system is constructed with a full steel-edge perimeter and offers a high security rating.

Smooth steel doors are available with an optional Adjustable Hinge Plate System. This allows the homeowner to easily adjust the door with a screwdriver without removing the door from its hinges to achieve a perfect fit.

Key Features

- Constructed of 24-gauge (or optional 22-gauge) hot-dipped galvanized steel for rust protection and durability
- Fire-rated 20 or 90 minutes
- The baked-on polyester primer accepts exterior grade latex paint
- Carries a U-factor of .17
- Resists cracking, splitting, warping, twisting or rotting
- 4" x 10" composite lock block with a 1" diameter edge bore, and a 2-1/8" diameter face bore at 2-3/4" or 2-3/8" backset
- Limited lifetime warranty for 22-gauge and 10-year warranty for 24-gauge



*Flush 5-Groove



*Flush 4-Groove



*Flush 4-Groove Contemporary



1-Panel HD



2-Panel HD



2-Panel HD Arch Top



2-Panel HD Arch Top Plank



3/4 2-Panel HD



3-Panel HD Craftsman



*3-Panel Shaker



*3-Panel Contemporary



3-Panel HD



*4-Panel Shaker



Crossbuck



4-Panel HD Blank Top



True 4-Panel



5-Panel Shaker



6-Panel HD




8-Panel Equal



9-Panel



Cottage Style HD



Full Sidelite



1/2 Sidelite



3/4 Sidelite

* Door style is available in 22-gauge steel only

STAINABLE STEEL

Stainable steel doors are constructed with architecturally-correct stiles and rails, with a deeply embossed Oak wood grain surface that is enhanced through the staining process.

These doors are fully insulated with an inner core of polyurethane foam, which provides superior thermal performance and greater energy efficiency.

Key Features

- Constructed of 22-gauge steel, which is 40% thicker than 25/26 contractor grade slabs
- Full steel-edge perimeter provides additional strength and a Grade 40 security rating
- Special beige primer allows for staining
- 4" x 10" composite lock block with a 1" diameter edge bore, and a 2-1/8" diameter face bore at 2-3/4" or 2-3/8" backset
- Fire-rated 20 or 90 minutes
- Resists denting, cracking, splitting, warping and twisting
- Carries a U-factor of .17
- Adjustable Hinge Plate System
- Limited lifetime warranty



Flush



1-Panel HD



2-Panel HD



2-Panel HD Arch Top



2-Panel HD Arch Top Plank



3-Panel HD Craftsman



2-Panel HD Cottage



3-Panel HD



4-Panel Blank Top



True 4-Panel




6-Panel



8-Panel Equal



9-Panel



Full Sidelite



1/2 Sidelite



3/4 Sidelite



TRUGRAIN™ STEEL



Trugrain™ is an insulated steel door that combines the look of wood with the strength of steel. It's constructed of 22-gauge hot-dipped galvanized steel with polyester coating, creating a realistic wood grain appearance.

Trugrain™ steel doors are ideal for light commercial and multi-family applications, both new construction and renovation.

Key Features


- The polyester coating is extremely durable and is available in four wood grains: Oak, Cherry, Mahogany, and Walnut
- No finishing or maintenance required
- 4" x 10" composite lock block with a 1" diameter edge bore, and a 2-1/8" diameter face bore at 2-3/4" or 2-3/8" backset
- Fire-rated up to 90 minutes
- Carries a U-factor of .17
- Matching vinyl coated wood jambs available – DuraTech-FX™
- Fully insulated with an inner core of environmentally friendly polyurethane foam
- 10-year limited warranty



Holland



Ludington



Rockport



Brimley



Flush



1-Panel Flat



2-Panel HD



3-Panel
Craftsman



6-Panel HD

SHAKER STEEL COLLECTION



1 Panel Shaker



2 Panel Shaker



3 Panel Shaker

Collection Key Features

22 gauge steel

2/8, 2/10, and 3/0 width

6/8 and 7/0 height

Adjustable hinge plate

Steel edge

Can be fire-rated up to 90 minutes

Grade 40 security rating

Polyurethane foam inner core

WIDE STEEL



4 ft. Wide Doors

Wider openings allow for small equipment, motorcycles, lawn mowers and other large items to pass through without requiring an overhead or double door.

Ideal for agricultural building, yard barns, garage service entrances and ADA applications.

Features a durable 22 gauge steel door panel with a wood stile and rail system along with a composite bottom rail. Available as a flush slab in 6/8 height.

Fully insulated with an inner core of environmentally friendly polyurethane foam.

TRUKOTE COLLECTION



Collection Key Features

TruKote is a pre-finished, insulated steel door that is designed for strength, security, and durability. No painting or staining is needed. These doors are ready to install and provide years of lasting beauty with their durable white finish.

Full steel-edge perimeter

Polyurethane foam inner core

24-gauge hot-dipped galvanized steel

90-minute fire-rated

Grade 40 security rating

Available in pre-hung, KD, or slab only (wood or steel jambs)

Finished with white polyester paint that requires no additional finishing to maintain its bright white color

Optional adjustable hinge plate system

No finishing or maintenance required

10 year limited warranty

QUIKFIT FITTED DOOR SYSTEM




Key Features

- 90 minute fire-rated
- Ideal for multi-family and light commercial applications
- Features a 22- or 24-gauge steel-edge smooth steel door, pre-hung into an adjustable steel frame for ease of installation
- Available in 6/8, 7/0, and 8/0 heights
- Full steel-edge perimeter provides additional strength and a Grade 40 security rating
- Design Pressure Ratings of +/-60 up to 3670
- Two-piece adjustable steel frame - base jamb is installed in the opening and closer trim piece is attached from the opposite side
- 4-1/2" to 9-1/2" wall construction (1" adjustment) for 1-3/4" door
- 10-year warranty on steel-edge door panel, 1-year warranty on adjustable steel frame
- Florida Building Code (FBC) and Texas Department of Insurance (TDI) approved



PANEL STYLES



	Smooth Steel	Stainable Steel	Trugrain™ Steel	Timberline Smooth Fiberglass	Timberline Textured Oak Fiberglass
FL	■	■	■	■	■
1P	■	■			
2PS	■	■	■	■	■
2PAT	■	■			
2PAP	■	■			
2PLC	■	■	■		
3PET	■	■		■	■
3PC	■	■			
2P34T	■			■	■
3PFC	■			■	
3PS	■				
4PS	■				
4P34T				■	■
5PS	■				
4P	■	■		■	■
6P	■	■	■	■	■
6PC				■	■
8PE	■	■			
8P				■	■
9P	■	■		■	■
FL4G	■				
FL5G	■				
3PSC				■	■

■ Available in 6/8 height ■ Available in 7/0 height
 ■ Available in 8/0 height

SWING OPTIONS


SINGLE DOOR (INSWING)




SINGLE DOOR (OUTSWING)




PATIO/SINGLE SWING DOUBLE DOOR CENTER HINGE (INSWING)




PATIO/SINGLE SWING DOUBLE DOOR CENTER HINGE (OUTSWING)




PATIO/SINGLE SWING DOUBLE DOOR JAMB HINGE (INSWING)




PATIO/SINGLE SWING DOUBLE DOOR JAMB HINGE (OUTSWING)



DOUBLE DOOR (INSWING)



DOUBLE DOOR (OUTSWING)



KEYPAD ENTRY LOCKS



Camelot Trim
Accent Lever



Plymouth Trim
Flair Lever



Plymouth Trim
Plymouth Lever



Camelot Trim
Georgian Lever



Camelot Trim
Accent Lever



Plymouth Trim
Elan Lever



Plymouth Trim
Plymouth Knob

SCHLAGE TOUCH™



Camelot Trim
Accent Lever



Camelot Trim
Flair Lever



Century Trim
Latitude Lever



Century Trim
Broadway Lever



Century Trim
Merano Lever



RESIDENTIAL HANDLESETS



Addison



Brookshire



Camelot



Century



Greenwich



Plymouth



Wakefield

RESIDENTIAL KNOBS & LEVERS



Accent



Avila



Avanti



Birmingham



Broadway



Callington



Champagne



Elan



Flair



Jazz



Latitude



Manhattan



Merano



Sacramento



St. Annes



Andover



Bell



Bowery



Georgian



Plymouth



Orbit



Siena

KEYPAD DEADBOLTS



Camelot




Camelot



Plymouth





Door Code: 842C
 Door Type: Smooth Fiberglass
 Glass Type: Chain Link

Spotlights™

DOORGLASS

Spotlights gives you options that make it easier to make your renovation and construction goals. Five doorglass sizes and six glass options give you flexibility to create a unique look that complements the architecture of your home.


CHOOSE A DOOR TYPE

Smooth Steel or Fiberglass, Stainable Steel, Trugrain™ Steel, or Textured Fiberglass

CHOOSE A CONFIGURATION



CHOOSE A GLASS STYLE



Door Code: 842C
 Door Type: Smooth Fiberglass
 Glass Type: Clear

SPOTLIGHTS GLASS

Door Code: 686-FL
 Door Type: Timbergrain Oak
 Glass Type: Brainstorm

Beauty with a surprising twist...

Layered glass takes on a personality of its own as layers of glass interact with one another, with light and with movement. This glass creates dynamic privacy that changes, just as the doorglass patterns do, with light and proximity.

It is subtle beauty with a surprising twist.



Brainstorm




Repartee



Door Code: 686-FL
 Door Type: Timbergrain Oak
 Glass Type: Repartee

LAYERED GLASS

	Brainstorm	Repartee
22" x 48" (607)	X	X
22" x 36" (684)	X	X
22" x 64" (686)	X	X
8" x 64" (690)	X	X
25" x 15-1/4" (814)	X	X
8" x 64" (819)	X	X
22" x 15-1/4" (866)	X	X



Door Code: 866-2PC
 Door Type: Smooth Steel
 Glass Type: Blanca




Blanca



Cumulus



Geo-Tex



Rain



Micro-Granite



Mosaic



Streamed



Vapor




Door Code: 686-FL
 Door Type: Textured Oak
 Glass Type: Vapor

	Blanca	Cumulus	Geo-Tex	Rain	Micro-Granite	Mosaic	Streamed	Vapor
8" x 48" (422)	X	X	X	X	X	X	X	X
22" x 48" (607)	X	X	X	X	X	X	X	X
7" x 18" (640)				X				
Half Round (659)				X	X			
8" x 6" (680)				X				
22" x 36" (684)	X	X	X	X	X	X	X	X
22" x 64" (686)	X	X	X	X	X	X	X	X
8" x 36" (692)	X	X	X	X	X	X	X	X
8" x 64" (690)	X	X	X	X	X	X	X	X
22" x 15-1/4" (866)	X	X	X	X	X	X	X	X
3/4 Oval (949)				X				

TEXTURED GLASS

Door Code: 686-FL
Door Type: Textured Oak
Glass Type: Lennon



Arlington



Greensboro



Lennon



Park Place

Unique & Modern

The glass options in our Exclusive Collection cannot be found anywhere else in the Midwest. We have partnered with Kenyon's Glass to develop these unique and custom looks.

EXCLUSIVE COLLECTION





ARLINGTON

Arlington is a timeless geometric pattern inspired by complimenting the symmetry to classic and traditional style home. The combination of textured glass and clear bevels creates a high level of privacy.


Caming Options



Privacy Level = 8



Door Code: 686-FL
Door Type: Textured Oak
Glass Type: Arlington



	Smooth Steel	Stainable Steel	Trugrain™ Steel	Smooth Fiberglass	Timberline Textured Oak Fiberglass	Timbergrain - Cherry	Timbergrain - Mahogany	Timbergrain - Oak	Timbergrain - Fir	Timbergrain - Knotty Alder
422	■	■		■	■					
607	■	■		■	■	■				
684	■	■	■	■	■	■	■	■		■
686	■	■	■	■	■	■	■	■		
690	■	■	■	■	■	■	■	■		
692	■	■	■	■	■	■	■	■		
866	■	■	■	■					■	■
SIDELITES										
422		■		■	■					
690	■	■	■	■	■	■	■	■	■	■
692	■	■	■	■	■					■
819	■	■	■	■	■				■	■

■ Available in 6/8 height ■ Available in 7/0 height ■ Available in 8/0 height


GREENSBORO

The Greensboro is a handcrafted Craftsman design with special detail paid to glass types to add a warm welcome to your home. Greensboro offers a medium level of privacy.


Caming Options



Privacy Level = 6



Door Code: 866-2PC
Door Type: Smooth Steel
Glass Type: Greensboro



	Smooth Steel	Stainable Steel	Trugrain™ Steel	Smooth Fiberglass	Timberline Textured Oak Fiberglass	Timbergrain - Cherry	Timbergrain - Mahogany	Timbergrain - Oak	Timbergrain - Fir	Timbergrain - Knotty Alder
422	■	■		■	■					
607	■	■		■	■	■				
684	■	■	■	■	■	■	■	■		■
686	■	■	■	■	■	■	■	■		
690	■	■	■	■	■	■	■	■		
692	■	■	■	■	■	■	■	■		
866	■	■	■	■					■	■
SIDELITES										
422		■		■	■					
690	■	■	■	■	■	■	■	■	■	■
692	■	■	■	■	■					■
819	■	■	■	■	■				■	■

■ Available in 6/8 height ■ Available in 7/0 height ■ Available in 8/0 height

LENNON


Lennon is a simple privacy glass with geometric design elements to enhance a traditional or modern style home. The Lennon has a variety of heavily textured glass types that create a high level of privacy.



Caming Options



Privacy Level = 9



	Smooth Steel	Stainable Steel	Trugrain™ Steel	Smooth Fiberglass	Timberline Textured Oak Fiberglass	Timbergrain - Cherry	Timbergrain - Mahogany	Timbergrain - Oak	Timbergrain - Fir	Timbergrain - Knotty Alder
422	■	■		■	■					
607	■	■		■	■	■				
684	■	■	■	■	■	■	■	■		■
686	■	■	■	■	■	■	■	■		
690	■	■	■	■	■	■	■	■		
692	■	■	■	■	■	■	■	■		
866	■	■	■	■					■	
SIDELITES										
422		■		■	■					
690	■	■	■	■	■	■	■	■	■	■
692	■	■	■	■	■					■
819	■	■	■	■	■				■	

■ Available in 6/8 height ■ Available in 7/0 height ■ Available in 8/0 height

PARK PLACE



Park Place is a modern pattern that comes alive when sunlight strikes it. It has a wide variety of glass types that create a stylish look that will enhance any space. The Park Place has a high level of privacy.



Caming Options



Privacy Level = 9



	Smooth Steel	Stainable Steel	Trugrain™ Steel	Smooth Fiberglass	Timberline Textured Oak Fiberglass	Timbergrain - Cherry	Timbergrain - Mahogany	Timbergrain - Oak	Timbergrain - Fir	Timbergrain - Knotty Alder
422	■	■		■	■			■		
607	■	■		■	■	■		■		
684	■	■	■	■	■	■	■	■		■
686	■	■	■	■	■	■	■	■		
690	■	■	■	■	■	■	■	■		
866	■	■	■	■					■	
SIDELITES										
422		■		■	■					
690	■	■	■	■	■	■	■	■	■	■
819	■	■	■	■	■				■	

■ Available in 6/8 height ■ Available in 7/0 height ■ Available in 8/0 height

Door Code: 949-3PET
Door Type: Textured Oak
Glass Type: Radiant Hues




CLASSIC COLLECTION



Majestic



Nouveau



Radiant Hues

Time-Honored Designs

Styles change, but some things stand the test of time. These timeless designs are rooted in the great traditions of American architecture. Beautiful lines, sophisticated detailing, and deeply cut bevels create an understated ambiance that adds beauty and value to your home.



MAJESTIC


Majestic's formal pattern of bevels and glass, accented with gray shades, is the epitome of Classic design. Choices of brass, nickel, and patina finishes complement your door's hardware. Majestic provides a medium level of privacy.

Caming Options



Brass Nickel Patina

Privacy Level = 6



	Smooth Steel	Stainable Steel	Trugrain™ Steel	Smooth Fiberglass	Timberline Textured Oak Fiberglass	Timbergrain - Cherry	Timbergrain - Mahogany	Timbergrain - Oak	Timbergrain - Fir	Timbergrain - Knotty Alder
422D-2P				■	■					
607-1P	■			■	■	■		■	■	
607-1PL						■		■		
607-2P	■	■		■	■	■	■	■		
637-2P	■	■		■	■					
640-8P	■	■		■	■					
684-2P	■	■	■	■	■	■	■	■		
686-FL	■	■	■	■	■	■	■	■		
692D-2P	■	■	■	■	■	■	■	■		
690D-FL	■	■	■	■	■					
684-1P	■	■	■	■						■
684-1PL										■
SIDELITES										
S-422	■	■		■	■	■	■	■		
S-690						■	■	■	■	■
S-692	■	■	■	■	■	■	■	■		■
S-694	■	■	■	■	■					

■ Available in 6/8 height ■ Available in 7/0 height ■ Available in 8/0 height



NOUVEAU

Nouveau places a brilliant bevel cluster at its center and frames it with a Classic bevel and translucent glass design. Complement your door hardware or home colors with a choice of brass, nickel or patina finish. Nouveau offers a medium level of privacy.

Caming Options



Privacy Level = 6



Door Code: 684-2P
Door Type: Textured Oak
Glass Type: Nouveau



S-422 S-690 S-692 S-694



Door Code: 684-2P
Door Type: Smooth Steel
Glass Type: Nouveau

	Smooth Steel	Stainable Steel	Trugrain™ Steel	Smooth Fiberglass	Timberline Textured Oak Fiberglass	Timbergrain - Cherry	Timbergrain - Mahogany	Timbergrain - Oak	Timbergrain - Fir	Timbergrain - Knotty Alder
422D-2P				■	■					
607-1P	■			■	■	■		■		
607-1PL						■		■		
607-2P	■	■		■	■	■	■	■		
637-2P	■	■		■	■					
640-8P	■	■		■	■					
659-4P	■	■		■	■					
684-2P	■	■	■	■	■	■	■	■		
686-FL	■	■	■	■	■	■	■	■		
692D-2P	■	■	■	■	■	■	■	■		
690D-FL	■	■	■	■	■					
919-FL	■	■	■	■	■					
949-3PET	■	■								
684-1P	■	■	■	■						■
684-1PL										■
949-3PSC				■	■					
SIDELITES										
S-422	■	■		■	■	■	■	■		
S-690						■	■	■	■	■
S-692	■	■	■	■	■	■	■	■		■
S-694	■	■	■	■	■					

■ Available in 6/8 height ■ Available in 7/0 height ■ Available in 8/0 height

RADIANT HUES


Radiant Hues appeals to your appreciation for both striking and subtle design. Geometric grids, beveled prisms, and a nickel finish give your entryway a contemporary and quiet elegance. Radiant Hues has a low privacy level.

Caming Options



Nickel

Privacy Level = 3



Door Code: 686-FL
Door Type: Smooth Fiberglass
Glass Type: Radiant Hues



422D-2P



607-1P



607-1PL



607-2P



632-7P



684-2P



686-FL



692D-2P



690D-FL



949-2P34T



949-2P34AT



949-3PET



684-1P



684-1PL



949-3PSC



S-422



S-690



S-692



S-694




Door Code: 949-3PET
Door Type: Textured Oak
Glass Type: Radiant Hues

	Smooth Steel	Stainable Steel	Trugrain™ Steel	Smooth Fiberglass	Timberline Textured Oak Fiberglass	Timbergrain - Cherry	Timbergrain - Mahogany	Timbergrain - Oak	Timbergrain - Fir	Timbergrain - Knotty Alder
422D-2P				■	■					
607-1P	■			■	■	■		■	■	
607-1PL						■		■		
607-2P	■	■		■	■	■	■	■		
632-7P						■		■		
684-2P	■	■	■	■	■	■	■	■		
686-FL	■	■	■	■	■	■	■	■		
692D-2P	■	■	■	■	■	■	■	■		
690D-FL	■	■	■	■	■					
949-2P34T						■				
949-2P34AT						■				
949-3PET	■	■				■	■	■		
684-1P	■	■	■	■						■
684-1PL										■
949-3PSC				■	■					
SIDELITES										
S-422	■	■		■	■	■	■	■		
S-690						■	■	■	■	■
S-692	■	■	■	■	■	■	■	■		■
S-694	■	■	■	■	■					

■ Available in 6/8 height ■ Available in 7/0 height ■ Available in 8/0 height

Door Code: 686-FL
Door Type: Smooth Steel
Glass Type: Crosswalk



Courtyard



Crosswalk



Waterside

Rustic & Elegant

The Destination Collection is inspired by artisans who truly appreciate beauty in objects for everyday use. Deep bevels, graceful contours, and scrolling grilles and coming lend a feeling of handcrafted antiquity to these designs and an air of gracious hospitality to your home.



DESTINATION COLLECTION

COURTYARD


Wrought iron designs are as current today as they were 100 years ago. The pronounced fretwork of Courtyard creates a look that is both strong and subtle. Courtyard offers a high privacy level.

Caming Options



Bronze Vein Wrought Iron

Privacy Level = 9



	Smooth Steel	Stainable Steel	Trugrain™ Steel	Smooth Fiberglass	Timberline Textured Oak Fiberglass	Timbergrain - Cherry	Timbergrain - Mahogany	Timbergrain - Oak	Timbergrain - Fir	Timbergrain - Knotty Alder
422D-2P				■	■					
607-1P	■			■	■	■		■		
607-1PL						■		■		
607-2P	■	■		■	■	■	■	■		
684-2P						■	■	■		
686-FL	■	■	■	■	■	■	■	■		
687-FL	■	■		■	■					
690D-FL	■	■	■	■	■	■	■	■		
692D-2P	■	■	■	■	■	■	■	■		
866-3PC				■	■					
866-2PFC				■					■	
866-2PC	■	■								
866-1PLC	■	■	■							
684-1P	■	■	■	■						■
684-1PL										■
SIDELITES										
S-422	■	■		■	■	■	■	■		
S-690	■	■	■	■	■	■	■	■	■	■
S-692	■	■	■	■	■	■	■	■		■
S-819	■	■	■	■	■					

■ Available in 6/8 height ■ Available in 7/0 height ■ Available in 8/0 height

CROSSWALK


Modern design comes to life through strong linear lines interrupted by bold pops of gray glass. Crosswalk's look is abstract, modern, and stylish. Crosswalk offers a high privacy level.

Caming Options



Nickel

Privacy Level = 8



Door Code: 686-FL
Door Type: Smooth Fiberglass
Glass Type: Crosswalk



Door Code: 686-FL
Door Type: Smooth Steel
Glass Type: Crosswalk

	Smooth Steel	Stainable Steel	Trugrain™ Steel	Smooth Fiberglass	Timberline Textured Oak Fiberglass	Timbergrain - Cherry	Timbergrain - Mahogany	Timbergrain - Oak	Timbergrain - Fir	Timbergrain - Knotty Alder
422D-2P				■	■					
607-1P	■			■	■	■		■		
607-1PL						■		■		
607-2P	■	■		■	■	■	■	■		
684-2P	■	■	■	■	■	■	■	■		
686-FL	■	■	■	■	■	■	■	■		
690D-FL	■	■	■	■	■	■	■	■		
692D-2P	■	■	■	■	■	■	■	■		
866-3PC				■	■					
866-2PFC				■					■	
866-2PC	■	■								
866-1PLC	■	■	■							
684-1P	■	■	■	■						■
684-1PL										■
SIDELITES										
S-422	■	■		■	■	■	■	■		
S-690	■	■	■	■	■	■	■	■	■	■
S-692	■	■	■	■	■	■	■	■		■
S-694	■	■	■	■	■					

■ Available in 6/8 height ■ Available in 7/0 height ■ Available in 8/0 height

WATERSIDE


Natural, free-flowing movement extends the length of Waterside and brings to mind a flowing river or grasses swaying in the breeze. Waterside offers a high privacy level.

Caming Options



Black Chrome

Privacy Level = 8



Door Code: 686-FL
Door Type: Smooth Steel
Glass Type: Waterside




Door Code: 686-FL
Door Type: Smooth Steel
Glass Type: Waterside


	Smooth Steel	Stainable Steel	Trugrain™ Steel	Smooth Fiberglass	Timberline Textured Oak Fiberglass	Timbergrain - Cherry	Timbergrain - Mahogany	Timbergrain - Oak	Timbergrain - Fir	Timbergrain - Knotty Alder
422D-2P				■	■					
607-1P	■			■	■	■		■		
607-1PL						■		■		
607-2P	■	■		■	■	■	■	■		
684-2P	■	■	■	■	■	■	■	■		
686-FL	■	■	■	■	■	■	■	■		
687-FL	■	■		■	■					
690D-FL	■	■	■	■	■	■	■	■		
692D-2P	■	■	■	■	■	■	■	■		
684-1P	■	■	■	■						■
684-1PL										■
SIDELITES										
S-422	■	■		■	■	■	■	■		
S-690	■	■	■	■	■	■	■	■	■	■
S-692	■	■	■	■	■	■	■	■		■

■ Available in 6/8 height ■ Available in 7/0 height ■ Available in 8/0 height


Door Code: 686-FL
Door Type: Textured Oak
Glass Type: Monterey




Madison



Monterey



Oak Park



Topaz

Inspired By Nature

Simple designs inspired by nature are the hallmarks of the Craftsman style. These beautiful geometric designs cast intricate patterns of sunlight into the interior spaces of your entryway. The Craftsman collection beautifully blends the finishes inside and outside of the home.



CRAFTSMAN COLLECTION

MADISON


Renowned Craftsman architect Frank Lloyd Wright advocated that architecture should become one with its surrounding landscape. The Craftsman-inspired design of Madison's geometric pattern and its nickel vein wrought iron finish will fit the "landscape" of your home and complement the special touches you've given it. Madison provides a high privacy level.

Caming Options



Nickel Vein Wrought Iron

Privacy Level = 9



Door Code: 686-FL
Door Type: Smooth Fiberglass
Glass Type: Madison



422D-2P 607-1P 607-1PL 607-2P 684-2P 686-FL 690D-FL 866-3PC
866-2PFC 866-2PC 866-1PLC 684-1P 684-1PL S-422 S-690 S-694 S-819



	Smooth Steel	Stainable Steel	Trugrain™ Steel	Smooth Fiberglass	Timberline Textured Oak Fiberglass	Timbergrain - Cherry	Timbergrain - Mahogany	Timbergrain - Oak	Timbergrain - Fir	Timbergrain - Knotty Alder
422D-2P				■	■					
607-1P	■			■	■	■		■		
607-1PL						■		■		
607-2P	■	■		■	■	■	■	■		
684-2P	■	■		■	■					
686-FL	■	■	■	■	■	■	■	■		
690D-FL	■	■	■	■						
866-3PC				■	■					
866-2PFC				■						
866-2PC	■	■								
866-1PLC	■	■	■							
684-1P			■	■						■
684-1PL				■						■
SIDELITES										
S-422	■	■		■	■	■	■	■		
S-690						■	■	■	■	■
S-694	■	■	■	■	■					
S-819	■	■	■	■	■					

■ Available in 6/8 height ■ Available in 7/0 height ■ Available in 8/0 height

MONTEREY


Monterey offers Craftsman design elements and a bit of modern style to your home's entrance. Clear bevels provide visibility, yet the translucent, textured glass offers a high privacy level. Patina and satin nickel give you finish options to complement your door hardware.

Caming Options



Satin Nickel Patina

Privacy Level = 7



Door Code: 686-FL
Door Type: Textured Oak
Glass Type: Monterey



422D-2P 607-1P 607-1PL 607-2P 684-2P 686-FL 690D-FL 866-3PC
866-2PFC 866-2PC 866-1PLC 684-1P 684-1PL S-422 S-690 S-694 S-819



Door Code: 686-FL
Door Type: Textured Oak
Glass Type: Monterey

	Smooth Steel	Stainable Steel	Trugrain™ Steel	Smooth Fiberglass	Timberline Textured Oak Fiberglass	Timbergrain - Cherry	Timbergrain - Mahogany	Timbergrain - Oak	Timbergrain - Fir	Timbergrain - Knotty Alder
422D-2P				■	■					
607-1P	■			■	■	■		■		
607-1PL						■		■		
607-2P	■	■		■	■	■	■	■		
684-2P	■	■	■	■	■	■	■	■		
686-FL	■	■	■	■	■	■	■	■		
690D-FL	■	■	■	■	■					
866-3PC				■	■					
866-2PFC				■						
866-2PC	■	■								
866-1PLC	■	■	■							
684-1P	■	■	■	■						■
684-1PL										■
SIDELITES										
S-422	■	■		■	■	■	■	■		
S-690						■	■	■	■	■
S-694	■	■	■	■	■					
S-819	■	■	■	■	■					

■ Available in 6/8 height ■ Available in 7/0 height ■ Available in 8/0 height

OAK PARK

When you think Craftsman style, you're thinking Oak Park. A patina finish and handcrafted, textured glass create a striking geometric pattern reminiscent of Arts and Crafts design. Four glass types create a bright entryway and medium privacy level.

Caming Options



Patina


Privacy Level = 5



Door Code: 686-FL
Door Type: Textured Oak
Glass Type: Oak Park



S-422 S-690 S-692 S-694 S-819



Door Code: 866-2PFC
Door Type: Timbergrain Fir
Glass Type: Oak Park

	Smooth Steel	Stainable Steel	Trugrain™ Steel	Smooth Fiberglass	Timberline Textured Oak Fiberglass	Timbergrain - Cherry	Timbergrain - Mahogany	Timbergrain - Oak	Timbergrain - Fir	Timbergrain - Knotty Alder
422D-2P				■	■					
607-1P	■			■	■	■		■	■	
607-1PL						■		■		
607-2P	■	■		■	■	■	■	■		
684-2P	■	■	■	■	■	■	■	■		
686-FL	■	■	■	■	■	■	■	■		
692D-2P	■	■	■	■	■	■	■	■		
690D-FL	■	■	■	■	■					
866-3PC				■	■					
866-2PFC				■					■	■
866-2PC	■	■								
866-1PLC	■	■	■							
684-1P	■	■	■	■					■	■
684-1PL										■
SIDELITES										
S-422	■	■		■	■	■	■	■		
S-690						■	■	■	■	■
S-692	■	■	■	■	■	■	■	■		■
S-694	■	■	■	■	■					
S-819	■	■	■	■	■					

■ Available in 6/8 height ■ Available in 7/0 height ■ Available in 8/0 height


If you appreciate attention to detail, you'll like Topaz's subtle pops of color, focal bevel cluster, and patina finish. These "jewels" combine to create a Craftsman style doorglass that adds beauty to your home's entryway and a high level of privacy.

Caming Options



Patina

Privacy Level = 9



Door Code: 686-FL
Door Type: Smooth Steel
Glass Type: Topaz



422D-2P 601-1P 601-1PL 601-2P 607-1P 607-1PL 607-2P



648-4P 684-2P 686-FL 692D-2P



690D-FL 866-3PC 866-2PFC 866-2PC



866-1PLC 684-1P 684-1PL



S-422 S-690 S-692 S-694 S-819

	Smooth Steel	Stainable Steel	Trugrain™ Steel	Smooth Fiberglass	Timberline Textured Oak Fiberglass	Timbergrain - Cherry	Timbergrain - Mahogany	Timbergrain - Oak	Timbergrain - Fir	Timbergrain - Knotty Alder
422D-2P				■	■					
601-1P						■		■		
601-1PL						■		■		
607-1P	■			■	■	■				
607-1PL						■				
607-2P	■	■		■	■	■	■	■		
601-2P						■	■	■		
648-4P						■	■	■		
684-2P	■	■	■	■	■	■	■	■		
686-FL	■	■	■	■	■	■	■	■		
692D-2P	■	■	■	■	■	■	■	■		
690D-FL	■	■	■	■	■					
866-3PC				■	■					
866-2PFC				■					■	
866-2PC	■	■								
866-1PLC	■	■	■							
684-1P	■	■	■	■					■	■
684-1PL										■
SIDELITES										
S-422	■	■		■	■	■	■	■		
S-690						■	■	■	■	■
S-692	■	■	■	■	■	■	■	■		■
S-694	■	■	■	■	■					
S-819	■	■	■	■	■					

■ Available in 6/8 height ■ Available in 7/0 height ■ Available in 8/0 height

CLEAR GLASS

If you want the view and nothing but the view, Clear Glass is your answer. It is an option that works equally well from your entry door to your patio door.

- Available in many shapes and sizes to complement any home style
- Rain glass option offers a high level of privacy for your home

OPEN WIDER

- 4 foot wide steel doors are now available with 22" x 36" clear glass
- Ideal for agricultural buildings, yard barns and garage service entrances
- 22-gauge steel flush slab in 6'8" height



Door Code: 686-FL
Door Type: Smooth Fiberglass
Glass Type: Clear

SIDELITES



S-680 S-692 S-422 S-694 S-819 S-DS



	Smooth Steel	Stainable Steel	Trugraith™ Steel	Timberline Smooth Fiberglass	Timberline Textured Oak Fiberglass
684-FL	■	■	■	■	■
696-FL	■	■		■	
696DI-FL	■	■		■	
607-2P	■	■		■	■
686-FL	■	■	■	■	■
684-1P	■	■	■	■	
684-1PL	■	■			
422D-2P				■	■
684-4PCB	■				
684-2P	■	■	■	■	■
680-4P	■	■	■	■	
692D-2P	■	■	■	■	■
637-4P	■	■		■	■
919-FL	■	■	■	■	■
640-8P	■	■		■	■
949-3PET	■	■			
694-FL5G	■				
607-1P				■	■
814-3PC				■	■
866-2PFC				■	
866-2PC		■			
866-1PLC	■	■	■		
949-3PSC				■	■
SIDELITES					
S-680	■	■			
S-692	■	■	■	■	■
S-422	■	■		■	■
S-694			■	■	■
S-819	■	■	■	■	■

■ Available in 6/8 height ■ Available in 7/0 height
■ Available in 8/0 height

INTERNAL GRILLES

Add a bold look to your home with grille patterns in your entry or patio doors, sidelites and transoms.

Choose from numerous patterns to fit your home's architectural style.

- 5/8" wide muntin bars are installed between two panes of insulating glass
- Easy to clean
- Available in White, Tan, Champagne and Bronze, and now colonial is also available in Black and Two-Tone Bronze/White
- Choose from traditional or prairie style configurations; other configurations available by request



Door Code: 684-9L-2P
Door Type: Smooth Steel
Glass Type: Clear

SIDELITES



S-694-6LP S-692-6LP S-819-6LP

S-694-5L S-692-3L S-422-4L S-819-5L



607-12L-2P Clear or Low-E 687-10L-FL Clear or Low-E 686-15L-FL Clear or Low-E 694D-5L-FL Clear or Low-E 684-9L-1P Clear or Low-E 684-9L-4PCB Clear or Low-E



684-9L-2P Clear or Low-E 692D-3L-2P Clear or Low-E 659-5L-4P Clear or Low-E 637-11L-2P Clear or Low-E



686-15L-FL Clear or Low-E 684-9LP-1P Clear or Low-E 684-9LP-2P Clear or Low-E 692D-6LP-2P Clear or Low-E



Door Code: 687-10L-FL
Door Type: Smooth Fiberglass
Glass Type: Clear

	Smooth Steel	Stainable Steel	Trugrain™ Steel	Timberline Smooth Fiberglass	Timberline Textured Oak Fiberglass
607-12L-2P	■	■		■	■
687-10L-FL	■	■		■	■
686-15L-FL	■	■	■	■	■
694D-5L-FL	■	■		■	■
684-9L-1P	■	■	■	■	
684-9L-4PCB	■				
684-9L-2P	■	■	■	■	■
692D-3L-2P	■	■		■	■
659-5L-4P	■	■		■	■
637-11L-2P	■	■		■	■
PRAIRIE STYLE GRILLES					
686-9LP-FL	■	■	■	■	■
684-9LP-1P	■	■	■	■	
684-9LP-2P	■	■	■	■	■
692D-6LP-2P	■	■		■	■
SIDELITES					
S-694-5L	■	■	■	■	■
S-692-3L	■	■	■	■	■
S-422-4L	■	■		■	■
S-819-5L	■	■	■	■	■
S-694-6LP	■	■		■	■
S-692-6LP	■	■		■	■
S-819-6LP	■	■	■	■	■

■ Available in 6/8 height ■ Available in 7/0 height
■ Available in 8/0 height

ARTS & CRAFTS GRILLES

Complement the architectural style of your home or express your appreciation for a natural approach to design. Arts & Crafts grilles' simple three and four light patterns are available for doors and sidelites.

- 5/8" internal grille
- Low-E glass to maximum energy efficiency
- Available in White



Door Code: 607-4L-1P
Door Type: Smooth Fiberglass
Glass Type: Clear



607-3L-2P34T 607-4L-2P34T 684-3L-2P 684-4L-2P



686-3L-FL 686-4L-FL S-694-3L

	Smooth Steel	Stainable Steel	Trugrain™ Steel	Timberline Smooth Fiberglass	Timberline Textured Oak Fiberglass
607-3L-2P34T	■	■		■	■
607-4L-2P34T	■	■		■	■
684-3L-2P	■	■	■	■	■
684-4L-2P	■	■		■	■
686-3L-FL	■	■	■	■	
686-4L-FL	■				
SIDELITES					
S-694-3L	■	■	■	■	■

■ Available in 6/8 height ■ Available in 7/0 height
■ Available in 8/0 height

ENCLOSED BLINDS

Fully enclosed blinds give you a maintenance-free option for controlling levels of doorglass privacy. A single fingertip control lets you raise, lower or tilt the blinds.

- Privacy channels on each side eliminate light gaps when blinds are closed – no street light shadows or sunlight glare
- Uniform color in components provides a clean aesthetic look
- Available with Low-E glass option



Door Code: 686-FL
Door Type: Textured Oak
Glass Type: Clear



607-2P 684-2P 686-FL 692D-2P 684-1P



S-692 S-690


	Smooth Steel	Stainable Steel	Trugrain™ Steel	Timberline Smooth Fiberglass	Timberline Textured Oak Fiberglass
607-2P	■	■		■	■
684-2P	■	■	■	■	■
686-FL	■	■	■	■	■
692D-2P	■	■		■	■
684-1P			■	■	
SIDELITES					
S-692	■	■		■	■
S-690	■	■		■	■

■ Available in 6/8 height ■ Available in 7/0 height
■ Available in 8/0 height

INTERNAL GRILLES & BLINDS

This energy efficient glass offers privacy and light control, and the charm of contoured door grilles. The triple-glazed glass suppresses traffic sounds and other unwelcome noises.

- You control the amount of privacy and light coming into your home with a fingertip control – raise, lower, and tilt the blind
- Triple-glazed design reduces heat transmission by up to 28%
- Available in White
- Available with Low-E glass option
- Glass frame is paintable only



Door Code: 686-15LRLB-FL
Door Type: Smooth Steel
Glass Type: Clear



	Smooth Steel	Stainable Steel	Timberline Smooth Fiberglass	Timberline Textured Oak Fiberglass
684-9LRLB-2P 9 LITE	■	■	■	■
687-10LRLB-FL 10 LITE	■	■	■	■
686-15LRLB-FL 15 LITE	■	■	■	■
684-9LRLB-1P 9 LITE	■	■	■	■

■ Available in 6/8 height ■ Available in 7/0 height
■ Available in 8/0 height

VENT LITES

Use vented doors for a boost of fresh air in workshops, garages, or your home. Ten adjustments allow you to control the flow of air.

- Durable UV-resistant molded frame
- Removable screen for easy cleaning
- Glass frame is White and is not paintable or stainable
- Select from clear doorglass or Perspectives Collection Rain Glass
- Available with Low-E glass option



Door Code: 799-12L-2P
Door Type: Smooth Steel
Glass Type: Clear Venting



	Smooth Steel	Stainable Steel	Timberline Smooth Fiberglass	Timberline Textured Oak Fiberglass
799-FL	■	■	■	■
799-1P	■	■	■	■
799-2P	■	■	■	■
799-12L-2P	■	■	■	■

■ Available in 6/8 height ■ Available in 7/0 height
■ Available in 8/0 height

SIMULATED DIVIDED LIGHT




Elegance takes on traditional divided doorlight...

The look of a true divided light, with the energy efficiency of a single light. A mill finish grille between glass, and backing strips for a true wood muntin appearance.



Clear



Rain



Baroque


DOOR OPENING SPECIFICATIONS

NEW CONSTRUCTION UNITS - Wood and Extruded Aluminum Clad Frames								
Description	Actual Frame Width Size	Stud-to-Stud Rough Opening Minimum	Width Dimension (Outside Brickmold)		Width Dimension (Outside Flat Casing)			
Opening Dimensions for Single, Double & Patio Doors								
2'6" Single Door	31-1/2"	32-1/2"	34"		36-3/4"			
2'8" Single Door	33-1/2"	34-1/2"	36"		38-3/4"			
2'10" Single Door	35-1/2"	36-1/2"	38"		40-3/4"			
3'0" Single Door	37-1/2"	38-1/2"	40"		42-3/4"			
3'6" Single Door	43-1/2"	44-1/2"	46"		48-3/4"			
4'0" Single Door	49-1/2"	50-1/2"	52"		54-3/4"			
5'0" Double Door	62"	63"	64-1/2"		67-1/4"			
5'4" Double Door	66"	67"	68-1/2"		71-1/4"			
5'4" Patio Door	67"	68"	69-1/2"		72-1/4"			
6'0" Double Door	74"	75"	76-1/2"		79-1/4"			
6'0" Patio Door	75"	76"	77-1/2"		80-1/4"			
Opening Dimensions for Door(s) with Fixed Sidelites or Direct Set Glass								
Sidelite Size	12"	14"	12"	14"	12"	14"	12"	14"
2'6" Single Door with 1 Sidelite	45"	47"	46"	48"	47-1/2"	49-1/2"	50-1/4"	52-1/4"
2'8" Single Door with 1 Sidelite	47"	49"	48"	50"	49-1/2"	51-1/2"	52-1/4"	54-1/4"
2'10" Single Door with 1 Sidelite	49"	51"	50"	52"	51-1/2"	53-1/2"	54-1/4"	56-1/4"
3'0" Single Door with 1 Sidelite	51"	53"	52"	54"	53-1/2"	55-1/2"	56-1/4"	58-1/2"
5'4" Double Door with 1 Sidelite	79-1/2"	81-1/2"	80-1/2"	82-1/2"	82"	84"	84-3/4"	86-3/4"
6'0" Double Door with 1 Sidelite	87-1/2"	89-1/2"	88-1/2"	90-1/2"	90"	92"	91-3/4"	94-3/4"
2'6" Single Door with 2 Sidelites	58-1/2"	62-1/2"	59-1/2"	63-1/2"	61"	65"	63-3/4"	67-3/4"
2'8" Single Door with 2 Sidelites	60-1/2"	64-1/2"	61-1/2"	65-1/2"	63"	67"	65-3/4"	69-3/4"
2'10" Single Door with 2 Sidelites	62-1/2"	66-1/2"	63-1/2"	67-1/2"	65"	69"	67-3/4"	71-3/4"
3'0" Single Door with 2 Sidelites	64-1/2"	68-1/2"	65-1/2"	69-1/2"	67"	71"	69-3/4"	73-3/4"
5'4" Double Door with 2 Sidelites	93"	97"	94"	98"	95-1/2"	99-1/2"	98-1/4"	102-1/4"

NOTE: For ALUMINUM CLAD OUTSWING units, add 1/4" to width dimension shown. For MASONRY CONSTRUCTION, add 1/4" to outside brickmold dimensions shown. For PRIMED WOOD OUTSWING UNITS, add 5/8" to outside brickmold width. For DOUBLE OUTSWING UNITS, add 1/4" to unit dimension widths shown.

Actual Frame Height / UDH (Rough Opening Height)		
6'8"	7'0"	8'0"
Units with Standard Sill		
81-3/4" UDH (82" RO) Inswing	85-3/4" UDH (86" RO) Inswing	97-3/4" UDH (98" RO) Inswing
81-1/4" UDH (81-1/2" RO) Outswing	85-1/4" UDH (85-1/2" RO) Outswing	97-1/4" UDH (97-1/2" RO) Outswing
Inswing	97-3/4" UDH (98" RO)	50-1/2"
Units with ADA Sill		
80-3/4" UDH (81" RO)	84-3/4" UDH (85" RO)	96-3/4" UDH (97" RO)
Inswing or Outswing	Inswing or Outswing	Inswing or Outswing
81" UDH (81-1/4" RO)	85" UDH (85-1/4" RO)	97" UDH (97-1/4" RO)
Clad Outswing	Clad Outswing	Clad Outswing
NOTE: Outside brickmold height is 1" more than RO height. Outswing flat casing height is 2-3/8" more than RO height.		

Transom Rough Openings		
Rough Opening (stud to stud) for inswing & outswing doors		
Transom Type	Rough Opening Heights	Unit Size
TR-98	102-5/8"	102-3/8"
TR-97	102-5/8"	102-3/8"
TR-92	102-5/8"	102-3/8"
TR-89/90/94	97-3/4"	97-1/4"
TR-96/99	93-3/4"	93-1/4"
TR-91	93-3/4"	93-1/4"
TR-95	varies	varies
TR-93	varies	varies



Opening Dimensions for Single Remodeler Units				
Size (nominal)	Fits these existing openings			
	'A' Widths		'B', 'C' Heights	
	Min.	Max.	Min.	Max.
2'5" x 6'7" Single Door	29-5/8"	30-1/2"	80"	80-1/2"
2'7" x 6'7" Single Door	31-5/8"	32-1/2"	80"	80-1/2"
2'9" x 6'7" Single Door	33-5/8"	34-1/2"	80"	80-1/2"
2'11" x 6'7" Single Door	35-5/8"	36-1/2"	80"	80-1/2"

NOTE: For 6'11" heights, ADD 4" to rough openings shown.

We reserve the right, without notice, to make changes in specifications, construction, design, details, and pricing at any time in such a manner as we may consider necessary or advisable. Corrections to reflect any such changes shall be included in subsequent printings of this publication.

SIZE AVAILABILITY

STEEL	6/8 HEIGHTS									7/0 HEIGHTS					8/0 HEIGHTS				
	2/0	2/4	2/6	2/8	2/10	3/0	3/4	3/6	4/0	2/6	2/8	2/10	3/0	3/6	2/6	2/8	2/10	3/0	3/6
Flush	S, SS	S, SS	S, SS	S, SS, TG	S, SS, TG	S, SS, TG	S	S	S	S, SS	S, SS, TG	S, SS, TG	S, SS, TG	S	S, SS	S, SS, TG	S, SS, TG	S, SS, TG	
1-Panel				S, SS	S, SS	S, SS													
2-Panel				S, SS, TG	S, SS, TG	S, SS, TG					S, TG	S, TG	S, TG			S, SS, TG	S, SS, TG	S, SS, TG	
2-Panel Arch Top				S, SS	S, SS	S, SS													
2-Panel Arch Top Plank				S, SS	S, SS	S, SS													
Cottage Style				S, SS, TG	S, SS, TG	S, SS, TG					TG	TG	TG						
3/4 3-Panel				S, SS	S, SS	S, SS					S, SS	S, SS	S, SS						
3/4 2-Panel				S	S	S					S	S	S						
3-Panel Craftsman				S, SS	S, SS	S, SS					SS	SS	SS						
3-Panel Shaker				S	S	S													
3-Panel Contemporary				S	S	S													
1-Panel Shaker Flat				S	S	S					S	S	S						
2-Panel Shaker Flat				S	S	S					S	S	S						
3-Panel Shaker Flat				S	S	S					S	S	S						
4-Panel Shaker				S	S	S													
5-Panel Shaker				S	S	S					S	S	S						
Crossbuck Panel			S	S, SS	S, SS	S, SS				S	S	S	S						
4-Panel Blank Top			S, SS	S, SS	S, SS	S, SS				S, SS	S, SS	S, SS	S, SS						
True 4-Panel			S, SS	S, SS	S, SS	S, SS				S, SS	S, SS	S, SS	S, SS						
6-Panel			S, SS	S, SS, TG	S, SS, TG	S, SS, TG	S	S		S, SS	S, SS, TG	S, SS, TG	S, SS, TG	S	S, SS, TG	S, SS, TG	S, SS, TG		
8-Panel				S, SS	S, SS	S, SS					S, SS	S, SS	S, SS						
9-Panel				S, SS	S, SS	S, SS					S, SS	S, SS	S, SS						
Flush 4-Groove					S	S													
Flush 5-Groove					S	S													


NOTE: S = Smooth Steel, SS = Stainable Steel, TG = Trugrain™ Steel

TIMBERLINE FIBERGLASS	6/8 HEIGHTS									7/0 HEIGHTS					8/0 HEIGHTS				
	2/0	2/4	2/6	2/8	2/10	3/0	3/4	3/6	4/0	2/6	2/8	2/10	3/0	3/6	2/6	2/8	2/10	3/0	3/6
Flush	SF, TF		SF, TF	SF, TF	SF, TF	SF, TF		SF, TF	SF, TF	SF, TF	SF, TF	SF, TF		SF, TF	SF, TF	SF, TF	SF, TF	SF, TF	
2-Panel				SF	SF	SF									SF	SF	SF		
2-Panel Arch Top				SF	SF	SF									SF	SF	SF		
3/4 2-Panel				SF, TF	SF, TF	SF, TF													
3-Panel Craftsman				SF	SF	SF													
4-Panel Blank Top				SF, TF	SF, TF	SF, TF													
3/4 4-Panel				SF, TF		SF, TF													
True 4-Panel				SF, TF	SF, TF	SF, TF				SF, TF	SF, TF	SF, TF			SF, TF		SF, TF		
6-Panel			SF, TF	SF, TF	SF, TF	SF, TF				SF, TF	SF, TF	SF, TF		SF, TF	SF, TF		SF, TF	TF	
6-Panel Craftsman						SF, TF													
8-Panel Center Arch						SF, TF											SF, TF	SF, TF	
9-Panel				SF, TF		SF, TF													
3-Panel Premium						SF, TF								SF, TF		SF, TF	SF		

NOTE: SF = Smooth Fiberglass, TF = Textured Fiberglass

TIMBERGRAIN FIBERGLASS	6/8 HEIGHTS									7/0 HEIGHTS					8/0 HEIGHTS					
	2/0	2/4	2/6	2/8	2/10	3/0	3/4	3/6	4/0	2/6	2/8	2/10	3/0	3/6	2/6	2/8	2/10	3/0	3/6	
Flush				C	C	C		C		C	C	C	C		C	C	C	C		
2-Panel																			C	
2-Panel Wide Plank																			C	
2-Panel Narrow Plank																			C	
2-Panel Arch Top																				
2-Panel Arch Top Plank																				
3/4 3-Panel				C, M, O	C, M, O	C, M, O									C, M, O	C, M, O	C, M, O			
3-Panel Craftsman															F	F				
3/4 2-Panel				C, O	C, O	C, O									C, O	C, O	C, O			
3/4 2-Panel Plank				C, O	C, O	C, O									C, O	C, O	C, O			
3/4 2-Panel Arch Top				C	C	C									C	C	C			
3/4 2-Panel Arch Top Plank				C	C	C									C	C	C			
6-Panel				C, M, O	C, M, O	C, M, O									C, M, O	C, M, O	C, M, O			
8-Panel Center Arch					C, O	C, O									C, O	C, O				

NOTE: C = Cherry Grain, F = Fir Grain, K = Knotty Alder Grain, M = Mahogany Grain, O = Oak Grain



Door Code: 866-6SDL-2PFC
Door Type: Timbergrain Fir
Glass Type: Rain



BPI reserves the right to change the product features and specifications without prior notice.

©2019 Building Products Inc.

02/2020